



EUROPEAN COMMISSION
DIRECTORATE-GENERAL
TAXATION AND CUSTOMS UNION
Digital Delivery of Customs and Taxation Policies
Architecture & Digital Operations

Application User Manual

CBAM Declarant Portal ver 1.4.1.1

| | |
|-------------------|---------------------------------|
| Date: | 18/03/2025 |
| Status: | Submitted for information (SfI) |
| Version: | 1.81 EN |
| Author: | SOFT-DEV |
| Approved by: | DG TAXUD |
| Reference number: | DLV-746-7.3-202-1-10 |
| Public: | DG TAXUD external |
| Confidentiality: | Publicly available (PA) |

Document control information

| Property | Value |
|---------------------------------|--|
| Title | Application User Manual |
| Subtitle | CBAM Declarant Portal ver 1.4.1.1 |
| Author | SOFT-DEV |
| Project owner | Head of Unit of DG TAXUD Unit C2 Indirect taxes other than VAT |
| Solution provider | DG TAXUD Unit B2 Architecture & Digital Operations |
| DG TAXUD Project Manager | DG TAXUD Unit B2 Architecture & Digital Operations |
| Version | 1.81 EN |
| Confidentiality | Publicly available (PA) |
| Date | 18/03/2025 |

Table of contents

| | | |
|----------|---|-----------|
| 1 | INTRODUCTION | 11 |
| 1.1 | Document purpose..... | 11 |
| 1.2 | Target audience | 11 |
| 1.3 | Scope | 11 |
| 1.4 | Structure | 11 |
| 1.5 | Reference documents | 11 |
| 1.6 | Applicable documents | 12 |
| 1.7 | Abbreviations & acronyms..... | 12 |
| 1.8 | Definitions..... | 13 |
| 1.9 | CBAM Quarterly report data elements..... | 15 |
| 2 | GENERAL INFORMATION..... | 28 |
| 2.1 | System Overview | 28 |
| 2.2 | Authorized Use Permission | 28 |
| 2.3 | User Support..... | 28 |
| 3 | GETTING STARTED | 29 |
| 3.1 | Roles and Responsibilities..... | 29 |
| 3.2 | Access the CBAM Declarant Portal | 29 |
| 3.3 | Exit the CBAM Declarant Portal | 30 |
| 3.4 | CBAM -TP - Session time out..... | 31 |
| 3.5 | Reporting Declarant Home Page | 32 |
| 3.6 | Main Navigation Bar | 32 |
| 3.7 | Generic User Interface Behaviour | 33 |
| 3.8 | Basic System Functions..... | 34 |
| | 3.8.1 Change UI Language..... | 34 |
| | 3.8.2 Change Contact Information | 34 |
| | 3.8.1 Create an installation | 34 |
| 3.9 | Report States Information | 37 |
| | 3.9.1 States description..... | 37 |
| | 3.9.2 States transition diagram | 39 |
| 4 | USING THE SYSTEM AS CBAM REPORTING DECLARANT | 40 |
| 4.1 | My Operators Registry | 40 |
| | 4.1.1 Create an operator..... | 40 |
| | 4.1.2 Delete an operator..... | 42 |
| | 4.1.3 Edit an operator | 42 |
| 4.2 | Installations Registry | 43 |
| | 4.2.1 Delete an installation | 43 |
| | 4.2.2 Edit an installation..... | 44 |
| 4.3 | My quarterly reports | 45 |
| 4.4 | Report Structure & Navigation..... | 45 |
| | 4.4.1 Header level of the CBAM Report | 47 |
| | 4.4.2 CBAM goods Level of the CBAM Report | 50 |
| | 4.4.3 Emissions level of CBAM report | 59 |
| 4.5 | Quarterly Report actions | 77 |
| | 4.5.1 Creation of a report..... | 78 |
| | 4.5.2 Uploading of a report..... | 78 |

| | | |
|----------|--|------------|
| 4.5.3 | Saving a draft report | 79 |
| 4.5.4 | Deletion of a draft report | 80 |
| 4.5.5 | Editing of a report..... | 81 |
| 4.5.6 | Validation of a report..... | 82 |
| 4.5.7 | Submission of a report..... | 83 |
| 4.5.8 | Viewing of a report..... | 84 |
| 4.5.9 | Amendment of a report..... | 85 |
| 4.5.10 | Invalidation of a report | 86 |
| 4.5.11 | Request to submit a report with a delay..... | 86 |
| 4.5.12 | Download PDF | 88 |
| 4.5.13 | History | 89 |
| 4.5.14 | Duplicating a report..... | 89 |
| 4.6 | My importers | 91 |
| 4.7 | My Profile Information | 93 |
| 4.8 | Preferences | 93 |
| 4.9 | Information..... | 95 |
| 4.9.1 | NCA..... | 95 |
| 4.9.2 | CBAM Goods..... | 96 |
| 4.9.3 | Legislation | 98 |
| 4.10 | Requests | 98 |
| 4.10.1 | Viewing of incoming requests | 98 |
| 4.10.2 | Replying to an incoming request | 99 |
| 4.10.3 | Decline an incoming request | 100 |
| 4.10.4 | Create a request | 100 |
| 4.10.5 | Cancel a request..... | 102 |
| 4.10.6 | View outgoing requests | 103 |
| 4.11 | Notifications | 103 |
| 5 | ANNEX..... | 106 |
| 5.1 | CBAM Report (XSD)..... | 106 |
| 5.2 | Sample ZIP files | 106 |
| 5.3 | Report structure | 106 |

List of tables

Table 1: Reference documents12

Table 2: Applicable documents12

Table 3: Abbreviations and acronyms13

Table 4: Definitions.....14

Table 5: Definitions.....27

Table 6: CBAM List of states38

Table 7: Delayed Submission - Deadlines87

List of figures

| | |
|--|----|
| Figure 1: UUM&DS authentication page..... | 29 |
| Figure 2: CBAM Declarant Portal - Main Dashboard..... | 30 |
| Figure 3: Sign-out | 30 |
| Figure 4: Logout in EU Login page | 30 |
| Figure 5: Logout confirmation | 31 |
| Figure 6: Session Timer | 31 |
| Figure 7: Session expiration warning | 31 |
| Figure 8: CBAM Portal – Reporting Declarant Home Page | 32 |
| Figure 9: CBAM Reporting Declarant Home Page with expanded navigation bar..... | 33 |
| Figure 10: Mandatory fields indication | 33 |
| Figure 11: Maximum number of characters indication | 33 |
| Figure 12: Validation errors | 34 |
| Figure 13: My Installations Registry..... | 34 |
| Figure 14: Installation – Details | 35 |
| Figure 15: Installation-Search in my operator registry..... | 35 |
| Figure 16: Search in my operators registry | 36 |
| Figure 17: Installation - Linked Operator Details | 37 |
| Figure 18: Installation - Create Button..... | 37 |
| Figure 19: State Transition Diagram | 39 |
| Figure 20: Operator - Create | 40 |
| Figure 21: Operator Details Screen | 41 |
| Figure 22: Create an Operator..... | 41 |
| Figure 23: My Operators Registry..... | 41 |
| Figure 24: Operator Registry - Delete action. | 42 |
| Figure 25: Operator Delete - Confirmation message..... | 42 |
| Figure 26: Operators' registry..... | 42 |
| Figure 27: Operation - Save & Cancel | 43 |
| Figure 28: Installation Registry -Delete action | 43 |
| Figure 29: Installation Delete - Confirmation message..... | 44 |
| Figure 30: Installation Registry - Edit Action | 44 |
| Figure 31: Installation -Cancel and Save buttons..... | 44 |
| Figure 32: My Quarterly Reports | 45 |
| Figure 33: CBAM Report Data Model..... | 46 |
| Figure 34: Header - Validation..... | 47 |
| Figure 35: Header - Reporting Declarant tab | 48 |
| Figure 36: Declarant acts as importer Checkbox | 48 |
| Figure 37: Header- Importer tab..... | 49 |

| | |
|---|----|
| Figure 38: Declarant acts as indirect customs representative checkbox..... | 49 |
| Figure 39: Header - Indirect customs representative Tab..... | 50 |
| Figure 40: Header -Signatures tab..... | 50 |
| Figure 41: Add good | 51 |
| Figure 42: Delete good..... | 51 |
| Figure 43: Delete good - Confirmation | 51 |
| Figure 44: Edit good..... | 52 |
| Figure 45: Non-validated good | 52 |
| Figure 46: Validate Good..... | 53 |
| Figure 47: Validate good – Navigation tree indication | 53 |
| Figure 48: Good Level - Importer tab | 54 |
| Figure 49: Good Level - Add Importer | 54 |
| Figure 50: Good’s level - Indirect customs representative tab | 55 |
| Figure 51: Good’s level - Add Indirect customs representative..... | 55 |
| Figure 52: Goods imported tab 1/3..... | 55 |
| Figure 53: Goods imported tab 2/3..... | 56 |
| Figure 54: Goods imported tab 3/3..... | 56 |
| Figure 55: HS sub-heading code selection | 56 |
| Figure 56: Imported quantity per customs procedure..... | 57 |
| Figure 57: Goods measure per procedure..... | 57 |
| Figure 58: Goods - Supplementary tab..... | 58 |
| Figure 59: Goods - Add supporting documents | 58 |
| Figure 60: Goods - Duplicate Good | 59 |
| Figure 61: Add an emission | 59 |
| Figure 62: Delete emission..... | 60 |
| Figure 63: Edit good..... | 60 |
| Figure 64: Installation - Country of production | 61 |
| Figure 65: Emissions - Operator (The company name of the installation)..... | 61 |
| Figure 66: Emissions - Operator (Information filled in from My Operator Registry) or directly in the report. | 62 |
| Figure 67: Operator selection from Operators of Third country Installations registry | 62 |
| Figure 68: Emissions - Operator (Information filled in from Operators of Third Country Installation Registry) .. | 63 |
| Figure 69: Emissions - Installation fields..... | 63 |
| Figure 70: Emissions-Installation information filled in from Installations Registry or directly in the report | 64 |
| Figure 71: Installation selection from Operators of Third country Installations registry | 64 |
| Figure 72: Emissions -Installation information filled in from Operator of Third Country Installation Registry ... | 65 |
| Figure 73: Production Method selection (without O3CI emissions selected) | 66 |
| Figure 74: Production Method selection from Operators of Third Country Installations registry | 66 |
| Figure 75: Selected Production Method from Operators of Third Country Installation registry | 66 |
| Figure 76: Emissions qualifying parameters | 67 |

| | |
|---|----|
| Figure 77: Add new qualifying parameters | 67 |
| Figure 78: Indirect Emissions qualifying parameters (applicable for Q423, Q124 & Q224 reporting periods) | 67 |
| Figure 79: Direct Emission qualifying parameters (applicable for Q423, Q124 & Q224 reporting periods | 68 |
| Figure 80: Production Method and Emissions Qualifying Parameters | 68 |
| Figure 81: Emissions tab - Applicable to Electricity good (Reporting Periods Q4-2023, Q1-2024, Q2-2024) | 69 |
| Figure 82: Emissions tab - Applicable to Electricity good (Reporting periods Q3-2024 and forward) | 69 |
| Figure 83: Emissions tab- Applicable for all goods except electricity | 70 |
| Figure 84: Emissions-Default Values..... | 70 |
| Figure 85: Emissions - Actual data not available | 71 |
| Figure 86: Emissions filled in from O3CI (all goods except electricity)..... | 72 |
| Figure 87: Emissions filled in from O3CI (good electricity) | 72 |
| Figure 88: Carbon price due tab | 74 |
| Figure 89: Carbon price due – Details (Reporting Period Q4-2023, Q1-2024, Q2-2024) | 75 |
| Figure 90 : Carbon price due details (Q3-2024 reporting period and forward)..... | 75 |
| Figure 91: Supplementary tab | 76 |
| Figure 92: Emissions - Supplementary - Supporting Documents | 76 |
| Figure 93: Emission tab filled in with O3CI emissions information | 77 |
| Figure 94: My Quarterly Reports - Create Report..... | 78 |
| Figure 95: My Quarterly Reports - Upload a report..... | 78 |
| Figure 96: Upload ZIP | 79 |
| Figure 97: Save a draft report..... | 80 |
| Figure 98: Delete a draft report | 80 |
| Figure 99: Delete draft report - Confirmation message..... | 81 |
| Figure 100: Edit a report | 81 |
| Figure 101: Edit a report | 81 |
| Figure 102: Validate report | 82 |
| Figure 103: Validate Report – Errors display..... | 82 |
| Figure 104: Validations Results Dialog | 83 |
| Figure 105: Validation Results - Action view | 83 |
| Figure 106: Submit report | 84 |
| Figure 107: Modifications confirmation | 84 |
| Figure 108: View report | 84 |
| Figure 109: Amend a report | 85 |
| Figure 110: Invalidate a report | 86 |
| Figure 111: Invalidate report confirmation message..... | 86 |
| Figure 112: Request delayed submission | 86 |
| Figure 113: Request delayed submission dialog | 87 |
| Figure 114: Request delayed submission -Requested by NCA | 87 |
| Figure 115: Download PDF | 88 |

| | |
|--|-----|
| Figure 116: Download PDF Information message | 88 |
| Figure 117: Download PDF - File downloaded message | 89 |
| Figure 118: History | 89 |
| Figure 119: History Details | 89 |
| Figure 120: Create using Previous Report..... | 90 |
| Figure 121: Duplicate report from..... | 90 |
| Figure 122: Duplicate Report Form Selected | 90 |
| Figure 123: Duplicate Report - Confirmation dialog | 91 |
| Figure 124: My Importers - Starting point | 91 |
| Figure 125: List of my importers | 92 |
| Figure 126: Importer Profile | 92 |
| Figure 127: Importer - Goods Imported | 92 |
| Figure 128: My profile information | 93 |
| Figure 129: My Profile - Contact Details | 93 |
| Figure 130: Preferences menu..... | 94 |
| Figure 131: Preferences..... | 94 |
| Figure 132: Edit Preferences | 94 |
| Figure 133: Information | 95 |
| Figure 134: Information-NCA | 95 |
| Figure 135: Information - NCA Details | 96 |
| Figure 136: Goods Sector Level..... | 96 |
| Figure 137: Aggregated goods category Level | 97 |
| Figure 138: Goods code level..... | 97 |
| Figure 139: Filtered CBAM Goods on CN Code | 97 |
| Figure 140: Request | 98 |
| Figure 141: Incoming requests | 98 |
| Figure 142: Reply to a Request | 99 |
| Figure 143: Reply to a request -Details | 99 |
| Figure 144: Notifications - References | 100 |
| Figure 145: Decline Request | 100 |
| Figure 146: Create Request | 101 |
| Figure 147: CBAM Reports (Optional)..... | 101 |
| Figure 148: References | 102 |
| Figure 149: Attachments | 102 |
| Figure 150: Cancel a request..... | 102 |
| Figure 151: Outgoing requests | 103 |
| Figure 152: Home Page-Notifications icon..... | 103 |
| Figure 153: List of latest unread notifications..... | 104 |
| Figure 154: View notification | 104 |

| | |
|--|-----|
| Figure 155: Notification - Reception date from filter..... | 105 |
| Figure 156: Notification - Reception date to filter | 105 |
| Figure 157: Notification List..... | 105 |

1 INTRODUCTION

1.1 DOCUMENT PURPOSE

The purpose of this document is to provide directions to reporting declarants and CBAM (Carbon Border Adjustment Mechanism) declarants (referred to in this document CBAM declarants) on how to utilise the CBAM Declarant Portal (referred to in this document CBAM Declarant Portal).

1.2 TARGET AUDIENCE

The target audience for this document includes:

- Importers of CBAM goods into the EU or their authorised indirect customs representatives (reporting declarants or CBAM declarants);
- Directorate-General Taxation and Customs Union (DG TAXUD) Project team;
- Directorate General for Informatics (DIGIT);
- Directorate-General for Climate Action (DG CLIMA);
- EU Member states and their National Competent Authorities;
- SOFT-DEV Project team;
- Quality Assurance Contractor;
- Operational teams.

1.3 SCOPE

The scope of this document is to provide directions to CBAM Reporting Declarants on the effective utilisation of the CBAM Declarant Portal for the Transitional Registry. The features described comply with CBAM Release 1.4.

1.4 STRUCTURE

This document is organised as follows:

- **Chapter 1 – Introduction:** describes the scope and the objectives of the document;
- **Chapter 2 – General Information:** provides the practical and theoretical details for the topic treated in the document;
- **Chapter 3 – Getting Started:** details how to access the portal and introduces the basis system functions;
- **Chapter 4 - Using the System as CBAM Reporting Declarant:** describes the CBAM Declarant Portal functionalities;
- **Annex - CBAM Report Structure in XSD format and a sample ZIP is provided in this section.**

1.5 REFERENCE DOCUMENTS

The table below lists the documents that are referred to in the current document.

| Ref. | Title | Originator | Version | Date |
|------|----------------------------------|------------|---------|------|
| R01 | Access Management through UUM&DS | TBA | 0.20 | TBA |

Table 1: Reference documents

1.6 APPLICABLE DOCUMENTS

The table below lists the documents to which the current document must be compliant (e.g. FWC, SC, RfA).

| Ref. | Title | Originator | Version | Date |
|------|--|------------|---------|------------|
| A01 | SOFT-DEV Framework Quality Plan | SOFT-DEV | 1.20 | 17/06/2024 |
| A02 | SOFT-DEV Framework Contract, TAXUD/2021/CC/162 | DG TAXUD | N/A | 24/06/2021 |
| A03 | Specific Contract 13, TAXUD/2023/DE/134 | DG TAXUD | N/A | 05/04/2023 |
| A04 | RfA-746-CARBON BORDER ADJUSTMENT MECHANISM (CBAM) - Delivery of CBAM v1.4.0.0 (TP integration with CBAM Definitive System Phase 2) Ares(2024)6359497 | DG TAXUD | 1.10 | 09/09/2024 |

Table 2: Applicable documents

1.7 ABBREVIATIONS & ACRONYMS

For a better understanding of the present document, the following table provides a list of the principal abbreviations and acronyms used.

See also the ‘list of acronyms’ on TEMPO.

| Abbreviation/Acronym | Definition |
|----------------------|--|
| CBAM | Carbon Border Adjustment Mechanism |
| CN | Combined Nomenclature |
| CO2 | Carbon Dioxide |
| COM | European Commission |
| CRS | Customer Reference System |
| CS/RD2 | Central Services Reference Data |
| DG CLIMA | Directorate-General for Climate Action |
| DG TAXUD | Directorate General for Taxation and Customs Union |
| DIGIT | Directorate General for Informatics |
| DOC | Microsoft Word document |
| DOCX | Microsoft Word Open XML format document |
| EORI | Economic Operators Registration and Identification |
| ETS | Emissions Trading System |
| EU | European Union |
| GNSS | Global Navigation Satellite System |
| GPS | Global Positioning System |

| Abbreviation/Acronym | Definition |
|----------------------|--|
| HS | Harmonized System Codes |
| ID | Identification number |
| IEA | International Energy Agency |
| JPEG | Joint Photographic Experts Group |
| MIME | Multipurpose Internet Mail Extensions |
| MS | Member State |
| MWH | Megawatt Hour |
| N/A | Not available |
| NCA | National Competent Authority |
| NIS | National Import System |
| O3CI | Operator of Third Country Installation registry |
| PDF | Portable Document Format |
| PSM | Public-Subscribe Mechanism |
| SPEED2ng | SPEED2 Gateway is used for exchanging messages with partner countries (for example MRA exchanges, NCTS TIR messages and in the future SSTL messages). The messages are exchanged via dedicated VPN links and the exchange protocols vary (Web Services, MQ Asynchronous Transport Protocol, AS2, AS3 and AS4 protocols). |
| UCC | Union Customs Code |
| UI | User Interface |
| URI | Universal Resource Identifier |
| URL | Uniform Resource Locator |
| UUM&DS | Uniform User Management and Digital Signatures |
| XLS | Microsoft Excel spreadsheet file |
| XLSX | Microsoft Excel Open XML spreadsheet file |
| XML | eXtensible Markup Language |
| XSD | XML Schema Definition |
| ZIP | Compressed file |

Table 3: Abbreviations and acronyms

1.8 DEFINITIONS

For a better understanding of the present document, the following table provides a list of the principal terms used.

See also the ‘glossary’ on TEMPO.

| Term | Definition |
|---------------|--|
| CBAM Goods | Goods listed in Annex I of CBAM Regulation. |
| Third country | A country or territory outside the customs territory of the Union. |
| Default value | The Default value is the intensity of emissions. It expresses the quantity of CO2 emissions per measurement unit of product. Per legislation, the definition is a value, which is calculated or drawn from secondary data, which represents the embedded emissions in goods. |

| Term | Definition |
|---------------------------------|--|
| NCA | National Competent Authority. |
| Operator | Any person who operates or controls an installation in a third country. |
| Installation | A stationary technical unit where a production process is carried out. |
| Indirect customs representative | The indirect customs representative declared in imports customs declaration. |
| Importer | Either the person lodging a customs declaration for release for free circulation of goods in its own name and on its own behalf or, where the customs declaration is lodged by an indirect customs representative in accordance with Article 18 of Regulation (EU) No 952/2013, the person on whose behalf such a declaration is lodged. |
| Carbon price | The monetary amount paid in a third country, under a carbon emissions reduction scheme, in the form of a tax, levy or fee or in the form of emission allowances under a greenhouse gas emissions trading system, calculated on greenhouse gases covered by such a measure, and released during the production of goods. |
| Indirect emissions | Means emissions from the production of electricity, which is consumed during the production processes of goods, irrespective of the location of the production of the consumed electricity. |

Table 4: Definitions

1.9 CBAM QUARTERLY REPORT DATA ELEMENTS

For a better understanding of the present document, the following table provides a list of the principal terms used.

See also the ‘glossary’ on TEMPO.

| Data element name | Definition |
|--------------------------------------|--|
| CBAM Report | The CBAM Quarterly Report that Declarants will submit. |
| Report issue date | The date that the CBAM report is submitted. |
| Draft report ID | The unique ID set by the system when the report is created to identify their report. |
| Report ID | This unique ID is allocated by the system once the report is submitted. |
| Reporting Period | The Quarter of the year. This is a CBAM CS/RD2 List that contains the Quarters of a year (Q1, Q2, Q3, Q4). |
| Year | The year for which the report is submitted. |
| Total goods imported | The total Goods that are declared in the CBAM report |
| Total emissions | The total of the emissions for all the Goods declared in the CBAM report. |
| --Reporting declarant | The entity that contains information about the Declarant. |
| Identification number | The ID of the Declarant. This is their EORI number. |
| Name | The full name (person or company) of the Declarant. |
| Role | The role that the Declarant has. If they are the importer or an indirect customs representative. |
| ----Address | This element is used to hold the Report Declarant Address |
| Member State of establishment | The country where the Declarant is established |
| Sub-division | The sub-division where the Declarant is located. |
| City | The city where the Declarant is located. |
| Street | The street name where the Declarant is located. |
| Street additional line | The street name where the Declarant is located. |
| Number | The number of the street where the Declarant is located. |
| Postcode | The postcode of the location of the Declarant. |
| P.O. Box | The P.O. box of the address. |

| Data element name | Definition |
|---|---|
| --Indirect customs representative | This entity is to define the information about the indirect customs representative in the Header level |
| Identification number | The ID of the indirect customs representative. This is their EORI number. |
| Name | The full name (person or company) of the indirect customs representative. |
| ----Address | This element is used to hold the indirect customs representative's address |
| Member State of establishment | The country where the Indirect customs representative is established |
| Sub-division | The sub-division where the indirect customs representative is located. |
| City | The city where the indirect customs representative is located. |
| Street | The street name where the indirect customs representative is located. |
| Street additional line | The street name where the indirect customs representative is located. |
| Number | The number of the street where the indirect customs representative is located. |
| Postcode | The postcode of the location of the indirect customs representative. |
| P.O. Box | The P.O. box of the address. |
| --Importer | The entity that contains information about the Importer that is represented by the Declarant. The Importer can either be declared at Header level, if the same importer is common for all Goods Imported, or in the Goods Imported level. |
| Identification number | The ID of the importer. This is their EORI number of European importers or TINT for International importers |
| Name | The full name (person or company) of the importer. |
| ----Address | This element is used to hold the importer's address |
| Member state or Country of establishment | The country where the Importer is established (either a Member state of the EU or a third country). |
| Sub-division | The sub-division where the importer is located. |
| City | The city where the importer is located. |
| Street | The street name where the importer is located. |
| Street additional line | The street name where the importer is located. |
| Number | The number of the street where the importer is located. |
| Postcode | The postcode of the location of the importer. |
| P.O. Box | The P.O. box of the address. |
| --Competent authority | This entity contains information regarding the Competent Authority where the Declarant is established. |
| Reference number | The Name or Reference number of the Competent Authority. |

| Data element name | Definition |
|---|--|
| --Signatures | There are two types of signatures in the CBAM Report. The first one is related to the information in the report. The Declarant must confirm that the information in the CBAM report is accurate and complete. The second is only applicable if the type of applicable rules selected is not CBAM-specific. In this case, the Declarant must confirm that the used applicable rules are comparable to the CBAM applicable rules |
| ----Report confirmation | This entity is used to hold the confirmation related to the contents of the CBAM Report. |
| Report global data confirmation | This element holds the confirmation of the Declarant regarding the information of the CBAM Report. |
| Use of data confirmation | This element holds the confirmation of the Declarant regarding his approval to use the data of the CBAM Report for the review process. |
| Date of signature | This element holds the date when the confirmation was signed. |
| Place of signature | This element holds the place where the confirmation was signed. |
| Signature | This element is used to hold the full name of the Declarant. |
| Position of person signing | This element is used to hold the Position of the Declarant |
| ----Type of applicable reporting methodology | This entity is used for the confirmation of the type of applicable reporting methodologies, in case that the selected one is not the CBAM-specific. |
| Other applicable reporting methodology | This element is used to hold the confirmation of the “other” applicable reporting methodology used. |
| --Remarks | This is an entity that exists in all levels of the report in order the Declarant to insert additional information. |
| Additional information | In this element, the Declarant can write any additional information that applies in the location where this is positioned |
| --CBAM goods imported | This is the entity that contains the information for the CBAM Good. There may be up to 99999 CBAM Goods in a CBAM report. |
| Goods item number | This element specifies the item number of every CBAM Good imported of the CBAM Report. It is a sequential number. |
| ----Indirect customs representative | This entity is to define the information about the indirect customs representative in the CBAM goods Imported level of the CBAM Report. |
| Identification number | The ID of the indirect customs representative. This is their EORI number. |
| Name | The full name (person or company) of the indirect customs representative. |
| -----Address | This element is used to hold the indirect customs representative’s address |
| Member State of establishment | The country where the Indirect customs representative is established |

| Data element name | Definition |
|--|--|
| Sub-division | The sub-division where the indirect customs representative is located. |
| City | The city where the indirect customs representative is located. |
| Street | The street name where the indirect customs representative is located. |
| Street additional line | The street name where the indirect customs representative is located. |
| Number | The number of the street where the indirect customs representative is located. |
| Postcode | The postcode of the location of the indirect customs representative. |
| P.O. Box | The P.O. box of the address. |
| ----Importer | This entity is to define the information about the importer in the CBAM goods Imported level of the CBAM Report |
| Identification number | The ID of the importer. This is their EORI number of European importers or TINT for International importers |
| Name | The full name (person or company) of the importer. |
| -----Address | This element is used to hold the importer's address |
| Member state or Country of establishment | The country where the importer is established |
| Sub-division | The sub-division where the importer is located. |
| City | The city where the importer is located. |
| Street | The street name where the importer is located. |
| Street additional line | The street name where the importer is located. |
| Number | The number of the street where the importer is located. |
| Postcode | The postcode of the location of the importer. |
| P.O. Box | The P.O. box of the address. |
| ----Commodity code | This is an entity that contains the HS Code and the CN Code of the CBAM Good. |
| Harmonized System sub-heading code | This is the HS Code of the CBAM Good. It is a 6-digit code. |
| Combined nomenclature code | This is the CN Code of the CBAM Good. It is a 2-digit code that is added in the HS code. |
| -----Commodity details | This is an entity that contains the description element of the CBAM Good. |
| Description of goods | This is an element that can be used in order to describe the CBAM Good. |
| ----Country of origin | This is an entity to declare the Country of Origin of the CBAM Good. |
| Country code | The two letter code of a country. |
| ----Imported quantity per customs procedure | This is the Entity that contains information regarding the Customs procedures and the related quantities of the CBAM good. |
| Sequence number | |
| -----Procedure | This is an entity that contains the Customs Procedures. |

| Data element name | Definition |
|---|--|
| Requested procedure | The Customs Requested Procedure. |
| Previous procedure | The Customs Previous Procedure. |
| -----Inward processing information | This entity contains information regarding the Inward processing procedure. The inward processing customs procedure is used for Goods that enter the EU territory to be processed by EU manufacturers. |
| Member State of inward processing authorisation | The Member State which authorised the inward processing. |
| Inward processing waiver for Bill of discharge | The Inward processing waiver for the Bill of discharge. |
| Authorisation | The Authorisation related to the inward processing. |
| Globalisation time start | The start date of the Globalisation timer. Each authorization comes with a specific globalization time frame depending on the calculation of the required time for processing. |
| Globalisation time end | The end date of the Globalisation timer. Each authorization comes with a specific globalization time frame depending on the calculation of the required time for processing. |
| Deadline for submission of Bill of discharge | The deadline for the submission of the Bill of discharge. Typically it will be one month after the end date of the Globalisation timer. |
| -----Area of import | This is an entity that contains the area of import element. |
| Area of import | The area where the CBAM Good was imported. Two possible values: EU by means of Customs import declaration and EU by other means. |
| -----Goods measure (per procedure) Actual products release / Actual product released to other products | This Data Group contains the quantity of the CBAM Good per Customs procedure. |
| Procedure indicator | The procedure indicator. Inward Processing = 1, Other = 0 |
| Net mass | The Net mass is to be used for the CBAM Goods that are measured in tonnes. Please use a dot (.) to separate decimals. |
| Supplementary units | The Supplementary units is to be used for the CBAM Goods that have a special measurement unit. |
| Type of measurement unit | The type of measurement unit of the quantity of the CBAM Good. |
| -----Special references for goods | This is an entity to use in case there are special references related to the CBAM Good. |
| Additional information | In this element, the Declarant can write any additional information that applies in the location where this is positioned. |
| ----Goods measure (imported) | This is the entity that contains the quantity of the CBAM goods imported |
| Net mass | The Net mass is to be used for the CBAM Goods that are measured in tonnes. |

| Data element name | Definition |
|---|--|
| Supplementary units | The Supplementary units is to be used for the CBAM Goods that have a special measurement unit. |
| Type of measurement unit | The type of measurement unit of the quantity of the CBAM Good. |
| ----Goods imported total emissions | This is an entity to use in case there are special references related to the CBAM Good. |
| Goods emissions per unit of product | In this element, the Declarant can write any additional information that applies in the location where this is positioned. The value is the result of the following division: Goods total emissions / Goods measure (imported) - either the Net mass or the Supplementary units. |
| Goods total emissions | This element is used to hold the total emissions of both direct and indirect emissions. The value of this field must be equal to the sum of Good direct emissions + Good indirect emissions. |
| Goods direct emissions | This element is used to hold the total emissions of direct emissions. The value of this field must be equal to the sum of all the installation direct emissions. |
| Goods indirect emissions | This element is used to hold the total emissions of indirect emissions. The value of this field must be equal to the sum of all the installation indirect emissions. |
| Type of measurement unit for emissions | This element is to indicate that the emissions are measured in tonnes. |
| ----Supporting documents (for Goods) | This entity exists in the CBAM Goods imported level. It used to provide any supporting documents. |
| Sequence number | Supporting document sequence number. |
| Type | The type of supporting document (it is in the Supporting Documents (for Goods)). |
| Country of document issuance | The country where the supporting document was issued. |
| Reference number | The reference number of the supporting document. |
| Document line item number | The document line item number is the number of the Goods imported entry in which the supporting documents corresponding to. |
| Issuing authority name | The authority that issued the supporting document. |
| Validity start date | The start date of validity of the supporting document. |
| Validity end date | The end date of validity of the supporting document. |
| Description | A text element to describe the supporting document. |
| -----Attachments | This is an entity used to attach a file or provide a URL. |
| Filename | The file name of the attachment. |
| URI | The URI link of an attachment. (Starting from Q32024 reporting period, this element is no longer available) |
| MIME | The MIME of the attachment. |

| Data element name | Definition |
|--|--|
| Included binary object | The actual binary object. |
| ----Remarks | This is an entity that exists in all levels of the report in order the Declarant to insert additional information. |
| Additional information | In this element, the Declarant can write any additional information that applies in the location where this is positioned. |
| ----CBAM Goods Emissions | This is the entity for the CBAM Good emissions. For each CBAM Good, there can be up to 999 entries for each CBAM Good. |
| Emissions sequence number | This element specifies the number of every CBAM Good emission. It is a sequential number. |
| Country of production | This element specified the country of production |
| -----The company name of the installation | This is an entity to define the information related to the company name of the installation. |
| Operator ID | The unique identification number of the operator. The operator ID is an alphanumeric value defined by the user. |
| Operator Name | The Name of the operator. |
| -----Address | This entity is to define the Address details of the company name of the Installation. |
| Country code | Installation's Country code |
| Sub-division | The sub-division where the operator is located. |
| City | The city where the operator is located. |
| Street | The street name where the operator is located. |
| Street additional line | The street name where the operator is located. |
| Number | The number of the street where the operator is located. |
| Postcode | The postcode of the location of the operator. |
| P.O. Box | The P.O. box of the address. |
| -----Contact Details | This entity is to define the Contact Details of the Installation Operator. |
| Name | The full name (person or company) of the Declarant. |
| Phone number | The phone number of the person that is assigned in the contact details of the operator. |
| e-mail | The email of the person that is assigned in the contact details of the operator. |
| -----Installation | This entity is to define the Installation (Factory) information where the CBAM Good is produced. |
| Installation ID | The unique ID of the Installation. The installation ID is an alphanumeric value defined by the user. |
| Installation name | The name of the Installation. |
| Economic activity | The definition of the economic activity of the installation. |

| Data element name | Definition |
|---|---|
| -----Address | The address of the Installation. |
| Country of establishment | The country where the installation that produced the good or the Declarant is established. |
| Sub-division | The sub-division where the installation is located. |
| City | The city where the installation is located. |
| Street | The street name where the installation is located. |
| Street additional line | The street name where the installation is located. |
| Number | The number of the street where the installation is located. |
| Postcode | The postcode of the location of the installation. |
| P.O. Box | The P.O. box of the address. |
| Plot or parcel number | The plot or parcel number. |
| UNLOCODE | The UNLOCODE as defined in UCC Annex B. |
| Latitude | The latitude of the coordinates. |
| Longitude | The longitude of the coordinates. |
| Type of coordinates | The type of coordinates (GPS/GNSS). |
| -----Goods measure (Produced) | This is the entity that contains the quantity of the CBAM Good that is produced in the specific installation. |
| Net mass | The Net mass is to be used for the CBAM Goods that are measured in tonnes. |
| Supplementary units | The Supplementary units is to be used for the CBAM Goods that have a special measurement unit. |
| Type of measurement unit | The type of measurement unit of the quantity of the CBAM Good. |
| -----Installation emissions | This is the entity that contains the emissions that were produced in the Goods emissions. |
| Installation total emissions | The total quantity of emissions produced for the particular Goods' quantity. The value of this field must be equal to the sum of Installation direct emissions + Installation indirect emissions. |
| Installation direct emissions | The quantity of Installation's direct emissions produced for the particular Goods' quantity. The value of this field must be equal with the result of the following formulae: Goods measure x Specific (direct) embedded emissions. |
| Installation indirect emissions | The quantity of indirect emissions produced for the specific particular Goods' quantity. The value of this field must be equal with the result of the following formulae: Goods measure x Specific (indirect) embedded emissions. |
| Type of measurement unit for emissions | This element is to indicate that the emissions are measured in tonnes. |
| -----Direct Embedded Emissions | This is the entity that contains the information related to the direct embedded emissions. |

| Data element name | Definition |
|---|---|
| Type of determination | The type of determination of the direct embedded emissions. The possible values are: Actual data, Default value (“Default” is only applicable in Q423, Q124, Q224 reporting periods). Concerning the option “Actual data not available”, consider elaborations under Section 4.4.3.4.2. Emissions. |
| Type of determination (electricity) | The type of determination of the direct embedded emissions in case that the CBAM Good is electricity. |
| Type of applicable reporting methodology | The type of applicable reporting methodology used to calculate the emissions of the CBAM Good while being produced. (Starting in Q32024 reporting period, this element is not used for Good Electricity). |
| Applicable reporting methodology | The actual applicable reporting methodology used. |
| Specific (direct) embedded emissions | This is the element to declare the emissions per measurement unit of the product produced. |
| Other source indication | This element is used to declare a different source. |
| Source of emission factor (for electricity) | The source of emission factor in case that the CBAM Good is electricity. |
| Emission factor | This element is used only when CBAM Good is Electricity and expresses the tonnes of CO2 per MWh. |
| Electricity imported | The quantity of electricity imported. It is only applicable in the Direct embedded emissions when CBAM Good is electricity. |
| Total embedded emissions of electricity imported | The amount of CO2 tonnes produced for the quantity of the electricity imported. It is only applicable in the Direct embedded emissions when CBAM Good is electricity. |
| Type of measurement unit | The type of measurement unit of the quantity of the CBAM Good. |
| Source of emission factor value | This is used to declare any extra information regarding the source of the emissions value. |
| Justification | Field is no longer used |
| Fulfillment of conditionality | This is used to declare any information related to the actual data declared. It is only applicable in the Direct Embedded Emissions when CBAM Good is electricity. |
| -----Indirect Embedded Emissions | This is the entity that contains the information related to the indirect embedded emissions. Not applicable when Electricity is selected as a good" |
| Type of determination | The type of determination of the indirect embedded emissions. The possible values are: Actual data, Default value. (“Default” is only applicable in Q423, Q124, Q224 reporting periods). Concerning the option “Actual data not available”, consider elaborations under Section 4.4.3.4.2. Emissions. |
| Source of emission factor | This element is used to declare literature or published information by the statistics office. |
| Emission factor | This element is used to express the tonnes of CO2 per MWh |

| Data element name | Definition |
|---|--|
| Specific (indirect) embedded emissions | This is the element to declare the emissions per measurement unit of the product produced. When automatically calculated, the value of this element is the result of the following formula: Electricity consumed (MWh/tonne of CBAM Good) * emissions factor (Tonnes CO2/MWh). |
| Type of measurement unit | The type of measurement unit of the quantity of the CBAM Good. |
| Electricity consumed | The electricity consumed (MWh per measurement unit of product). |
| Source of electricity | This element is used to declare the source of electricity. Possible values: “Auto-produced”, “(bilateral) power purchase agreement”, “received from the grid”. |
| Other source indication | This element is used to declare a different source. |
| Source of emissions factor value | This is used to declare any extra information regarding the source of the emissions value. It is only applicable in the Direct embedded emissions when CBAM Good is electricity. |
| -----Production method & Qualifying parameters | This entity contains the information related to the Production method and the emissions qualifying parameters. |
| Sequence number | Production method sequence number |
| Method ID | The unique identity of the production method. |
| Method name | The production method name. |
| Identification number of the specific steel mill | Specific steel mill identification number (only applicable to steel goods) |
| Additional Information | In this element, the Declarant can write any additional information that applies in the location where this is positioned. |
| -----Direct Emissions qualifying parameters | This entity contains the information related to the direct emissions qualifying parameters. This entity has been renamed to “Emissions qualifying parameters” starting in Q32024. |
| Sequence number | The sequential number of the parameter |
| Parameter name | Name of the parameter used |
| Description | A text element to describe the parameter |
| Type of parameter value | The type of the parameter (e.g., Percentage, numeric, text) |
| Parameter value | The actual value of the parameter |
| Additional information | In this element, the Declarant can write any additional information that applies in the location where this is positioned. |
| -----Indirect Emissions qualifying parameters | This entity contains the information related to the indirect emissions qualifying parameters. Only used in reporting period Q423, Q124, Q224. |
| Sequence number | The sequential number of the parameter |
| Type of determination | The type of determination of the direct embedded emissions. The possible values are: Actual data, Default value. |

| Data element name | Definition |
|---|---|
| Parameter ID | ID of the parameter used |
| Parameter name | Name of the parameter used |
| Description | A text element to describe the parameter |
| Type of parameter value | The type of the parameter (e.g., Percentage, numeric, text) |
| Parameter value | The actual value of the parameter |
| Additional information | In this element, the Declarant can write any additional information that applies in the location where this is positioned. |
| -----Supporting Documents (for emissions definition) | This entity exists in the CBAM Goods emissions level. It used to provide any supporting documents. |
| Sequence number | The document's sequential number |
| Type of emissions document | This element is used to define the type of emissions document that is declared. It is in the Supporting Documents (for emissions definition). |
| Country of document issuance | The country where the supporting document was issued. |
| Reference number | The reference number of the supporting document. |
| Document line-item number | The document line-item number is the number of the Goods imported entry in which the supporting documents corresponding to. |
| Issuing authority name | The authority that issued the supporting document. |
| Validity start date | The start date of validity of the supporting document. |
| Validity end date | The end date of validity of the supporting document. |
| Description | A text element to describe the supporting document. |
| -----Attachments | This is an entity used to attach a file or provide a URL. |
| Filename | The file name of the attachment. |
| URI | The URI link of an attachment (Starting from Q32024 reporting period, this element is no longer available) |
| MIME | The MIME of the attachment. |
| Included binary object | The actual binary object. |
| -----Carbon price due | This entity is used to provide information regarding CO2 emissions that were due. |
| Sequence number | The sequential number of the Carbon price due |
| Form of carbon price (previous description: Type of instrument) | This element is used to describe the type of instrument (form of carbon price) used. |
| Description and indication of legal act for the carbon price, and for possible rebate or other form of | This element is used to reference the description of the legal act. |

| Data element name | Definition |
|--|--|
| compensation obtained (Previous:Description and indication of legal act) | |
| Effective carbon price due (per produced t of goods or per MWh) (Q423-Q224 description: Amount of Carbon Price Due) | The amount of the CO2 emissions due. |
| Currency | The currency used for the declared amount to be paid. |
| Exchange rate | The exchange rate of the currency related to EURO. This is a baseline exchange rate defined by the EU commission. |
| Amount (EURO) | The Amount of the carbon price due expressed in EURO currency. |
| Country code | The country's code. |
| -----Goods covered under carbon price due | This entity is used to provide information regarding the goods for which the CO2 emissions were due. |
| Sequence number | Sequence number. |
| Type of goods covered | This element is used to declare the type of good that is covered under the carbon price due. It is a codified list with possible values: "Actual product" or "Other materials". Starting in Q32024 reporting period, this field will be auto filled with "Actual product". |
| CN code of goods covered | The CN code of the product covered. This is used only for information purposes. Starting in Q32024 reporting period, this field will be auto filled with the good. |
| Embedded emissions covered by the carbon price (previous: Quantity of emissions covered) | The quantity of emissions covered. |
| Embedded emissions covered by rebate or any other form of compensation (Previous description: Quantity covered by free allocations, any rebate or any other form of compensation) | |
| | The quantity of emissions covered by any form of compensation. |
| Supplementary information | This element is used to enter any supplementary information related to the product covered under price paid. |
| Additional information | In this element, the Declarant can write any additional information that applies in the location where this is positioned. |
| -----Goods measure (Covered) | This entity is used to provide the quantity of the Good for which the emissions are already paid. |
| Net mass | The Net mass is to be used for the CBAM Goods that are measured in tonnes. |
| Supplementary units | The Supplementary units is to be used for the CBAM Goods that have a special measurement unit. |

| Data element name | Definition |
|---------------------------------|--|
| Type of measurement unit | The type of measurement unit of the quantity of the CBAM Good. |
| -----Remarks | This is an entity that exists in all levels of the report in order the Declarant to insert additional information. |
| Sequence number | Remarks sequence number |
| Additional Information | Any additional information |

Table 5: Definitions

2 GENERAL INFORMATION

2.1 SYSTEM OVERVIEW

Carbon Border Adjustment Mechanism (CBAM) Declarant Portal is the interface offered to CBAM Reporting Declarants to submit & manage the quarterly reports in the CBAM Transitional Registry.

CBAM Regulation started applying, without financial adjustments, as of 1st October 2023 followed by a transitional period until 1st January 2026. During this period importers of goods falling within the scope of the CBAM only have to report greenhouse gas emissions embedded in their imports and there will be no financial adjustment.

Importers have to report on a quarterly basis the embedded emissions in goods imported during the previous quarter of the calendar year, declaring direct and indirect emissions as well as any carbon price effectively paid abroad. This reporting-only process will apply until the end of 2025, with the last CBAM report, for the fourth quarter of 2025 (1st October - 31st December) to be submitted by 31st January 2026. The reports can start in CBAM Declarant portal once the reporting period has ended (e.g., for Q4 2023, the reporting can start on 1st January 2024).

Any CBAM goods importer established in an EU Member State is liable to submit the reports in CBAM Declarant Portal. Per Article 2 Definitions in Implementing Regulation (17/8/2023), the CBAM Report can be submitted by one of the following:

- (a) the importer who lodges a customs declaration for release for free circulation of goods in its own name and on its own behalf;
- (b) the person, holding an authorisation to lodge a customs declaration referred to in Article 182(1) of Regulation (EU) No 952/2013, who declares the importation of goods;
- (c) the indirect customs representative, where the customs declaration is lodged by the indirect customs representative appointed in accordance with Article 18 of Regulation (EU) No 952/2013, when the importer is established outside the Union or where the indirect customs representative has agreed to the reporting obligations in accordance with Article 32 of Regulation (EU) 2023/956.

A CBAM Reporting Declarant can submit a report for multiple importers if needed. One CBAM report per quarter can be submitted.

The CBAM Declarant Portal is accessible using internet browsers. Authorisation is provided by UUM&DS.

2.2 AUTHORIZED USE PERMISSION

CBAM Declarant Portal is allowed to be used by CBAM Reporting Declarants who are registered in UUM&DS.

2.3 USER SUPPORT

CBAM Reporting Declarants need to contact their respective National Competent Authority Service Desk both for business & technical issues.

3 GETTING STARTED

3.1 ROLES AND RESPONSIBILITIES

Access to CBAM Declarant Portal is only allowed to Importers and Indirect Custom Representatives who have registered in UUM&DS and have obtained the CBAM Reporting Declarant Business profile. Their respective NCA or National Customs Administration (depending on the user access management solution each NCA will opt for) will be responsible to assign the CBAM Reporting Declarant business profile in UUM&DS where applicable. User registration procedure is defined in [R01] listed in 1.5 Reference documents.

3.2 ACCESS THE CBAM DECLARANT PORTAL

Access to the CBAM Reporting Declarant Portal is established via UUM&DS. UUM&DS is used to authenticate CBAM Reporting Declarants.

Step #1: The user accesses the following link:

<https://cbam.ec.europa.eu/declarant>

Step #2: The user is redirected to the application's UUM&DS authentication page, where the following information needs to be filled in: Country, Type of Actor, Type of ID, ID. The domain can either be "Carbon Border Adjustment Mechanism" or "Customs" based on national decision. Delegation to Employees is supported, please refer to UUM&DS Manual R01 for further information.

The screenshot shows the 'Where Are You From (wayf)' authentication page. It features a dark blue background with white text and form elements. The title 'Where Are You From (wayf)' is at the top. Below it, there are four dropdown menus: 'Select the domain of the application you request access to' (set to 'Carbon Border Adjustment Mechanism'), 'Select the country where you want to be authenticated' (set to 'Belgium'), 'Select type of actor' (set to 'Economic Operator'), and 'Type of ID' (set to 'EORI'). Below these is an 'ID' field with the value 'BE1457893' and a 'Validate' button. At the bottom, there is a section 'I am acting on behalf of:' with two radio buttons: 'Myself' (selected) and 'The following (natural/legal) person with:'. Below this is a checkbox 'I give my consent to request my Identity Profile information and share it with UUM&DS and Customs EIS' which is checked. A large teal 'Submit' button is at the bottom.

Figure 1: UUM&DS authentication page

Step #3: The user is requested to provide the username and password in the next screen based on the authentication system defined in his UUM&DS user profile.

Step #4: Upon successful login, the user is redirected to the main dashboard of the CBAM Reporting Declarant Portal.




Figure 2: CBAM Declarant Portal - Main Dashboard

3.3 EXIT THE CBAM DECLARANT PORTAL

Select the menu “Sign out” which is available on the upper right corner of the application.



Figure 3: Sign-out

The application will redirect the user to EU Logout page where the button “Log me out” needs to be clicked in order to complete the sign out process.




Figure 4: Logout in EU Login page

A confirmation dialog will appear that confirms that the log out process completed successfully.




Figure 5: Logout confirmation

Also note that the user will be logged out automatically after a certain amount of time has passed and subsequently it will be required to re-authenticate in UUM&DS.

3.4 CBAM -TP - SESSION TIME OUT

The session timeout defines the maximum period a user can remain logged in without activity before the system automatically logs them out. This feature enhances security by preventing unauthorized access if a user forgets to log out. In CBAM-TP, the default session duration is set to 30 minutes. A timer displayed on the information bar (left side) shows the remaining time before automatic logout (see Figure 6: Session Timer).




Figure 6: Session Timer

Declarants receive a prompt to extend the session shortly before expiration (5 minute beforehand) see Figure 7: Session expiration warning.




Figure 7: Session expiration warning

3.5 REPORTING DECLARANT HOME PAGE

Once a user is logged in to the CBAM Declarant Portal, the CBAM Portal home page is shown.

The available items are:

1. **My quarterly reports**: When clicked, the Reporting Declarant can see a table organised per quarters of the year. For each quarter, there might be only one CBAM report or not. If a CBAM report exists, then the Reporting Declarant can view it. If no CBAM report has been created, and the reporting period is open for submission of CBAM reports, then the Reporting Declarant can create their report or upload it in XML format with attachments packaged in a ZIP file.
2. **My Installations**: When clicked, the Reporting Declarant can see the registry of their Installations. They can view the list of Installations inserted, view a specific Installation, edit the entry of an Installation, or delete an Installation. Every Installation has one Operator assigned. It is advised to first create the registry of Operators and subsequently create the registry of Installations.
3. **My Operators**: When clicked, the Reporting Declarant can see the Registry of their Operators. They can view their list of Operators inserted, view a specific Operator, edit the entry of an Operator, or delete an Operator.
4. **My importers**: When clicked, the Reporting Declarant who acts as an indirect representative, can see the list of their importers. The Reporting Declarant can select an Importer to view their profile and the associated goods Imported table.
5. **Information**: Clicking on "Information" allows the Reporting Declarant access to several resources. These include the NCA's contact information, a list of CBAM goods, and CBAM legislation.
6. **Requests**: When clicked, the Reporting Declarants can see:
 - **Incoming Requests**: These are requests sent from the NCA to the Reporting Declarant. The Reporting Declarant can employ the filter options to review outstanding NCA requests for which the Declarant's response is pending.
 - **Outgoing Requests**: These are requests initiated by the Reporting Declarant and sent to the NCA. The Reporting Declarant can use the available filter options to track the Declarant's requests for which the NCA's response is pending.
7. **My profile information**: When clicked, the Reporting Declarant can see the information of the logged-in user in the right side and the Reporting Declarant information on the left side.





Figure 8: CBAM Portal – Reporting Declarant Home Page

3.6 MAIN NAVIGATION BAR

The main navigation menu is located on the left side of the screen.

By clicking the icon  on the left upper side, the navigation bar on the left is expanded (see Figure 9: CBAM Reporting Declarant Home Page with expanded navigation bar). The options are the same as the ones visible in the Home Page.




Figure 9: CBAM Reporting Declarant Home Page with expanded navigation bar

3.7 GENERIC USER INTERFACE BEHAVIOUR

An overview of the generic user interface behaviour is being provided below.

- a) Report - The fields marked with red asterisk are mandatory.

Commodity

HS sub-heading code *

271600 - Electrical energy

CN code *

00 - Electrical energy

Figure 10: Mandatory fields indication

- b) Report - The number on the top-right corner of each field is the maximum number of characters that can be entered for the particular field.

Description of goods *

Electrical energy

495

Figure 11: Maximum number of characters indication

- c) Report Validation errors – The validation errors are displayed in each tab. The number displayed within each tab indicates the number of validation errors that need to be addressed.

Goods imported 72000000

Importer Representative **Goods imported 3** Supplementary

Please correct the following: 3 errors

- Requested procedure: | Procedure
This field is required
- Net mass: | Goods measure (per procedure)
This field is required and greater than 0
- Type of measurement unit: | Goods measure (per procedure)
This field is required

Figure 12: Validation errors

3.8 BASIC SYSTEM FUNCTIONS

3.8.1 Change UI Language

Please follow the instructions in section 4.8 Preferences

3.8.2 Change Contact Information

Please follow the instructions in section 4.7 My Profile Information

3.8.1 Create an installation

- 1) Open the "My Installations Registry" either by clicking on "My Installations" icon from the Home Page dashboard or by clicking on "My Installations" link in the left side navigation menu.
- 2) Click the "Create an installation" button on the upper right corner.

European Commission CBAM Carbon Border Adjustment Mechanism

Session will expire in: 29:40 Please fill in the missing contact details in My profile information

My Installations Registry Create an installation

| Installation ID | Installation name | Country of establishment | City | Actions |
|----------------------|----------------------|--------------------------|----------------------|---------|
| <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> | |

Items per page: 10

Figure 13: My Installations Registry

- 3) Fill the information in the installation screen details (see Figure 14: Installation – Details). Ensure to utilise Latin characters (alpha numeric).

Create an installation

Installation ID *

Installation name *

Address

Country of establishment *

Sub-division

City *

Street

Street additional line

Number

Postcode

P.O. Box

Plot or parcel number

UNLOCODE

Type to search UNLOCODE

Coordinate latitude (N-S)

Coordinate longitude (E-W)

Type of coordinates

The company name of the installation *

[Search in My operator registry](#)

Cancel Create

Figure 14: Installation – Details

- 4) All mandatory fields marked with red asterisk need to be filled in.
- 5) An installation needs to be linked with an operator. To accomplish this, click the “Search in third country installation operators registry”.

The company name of the installation *

[Search in My operator registry](#)

Figure 15: Installation-Search in my operator registry



- 6) The operators already created in My Operators’ registry will be listed. The list can be filtered by Operator ID, Operator name, Country code, City.

Search in My operator registry



| | Operator ID ▾ | Operator name ▾ | Country code ▾ | City ▾ |
|-----------------------|----------------------|----------------------------|----------------------|----------------------|
| | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> |
| <input type="radio"/> | ChinaSteel | Shanghai MingShuo Steel Co | CN | Shanghai |
| <input type="radio"/> | OP03-0001 | Carousel Logistics LTD | AD | Athens |
| <input type="radio"/> | OP03-00010 | 12 | AF | Athens |
| <input type="radio"/> | OP03-0002 | Carousel Logistics LTD | AF | Athens |
| <input type="radio"/> | OP03-0003 | Carousel Logistics LTD | AD | Athens |
| <input type="radio"/> | OP03-0004 | 12 | AF | er |
| <input type="radio"/> | OP03-0005 | 12 | AQ | Athens |

Figure 16: Search in my operators registry

- 7) Select the required operator. Click on the bullet on the left  and it will change to .
- 8) Click the “OK” button on the right bottom corner of the operator registry dialog.
- 9) The relationship between the installation and operator has been established and the operator’s details will be listed.

The company name of the installation *

[Search in My operator registry](#)

ChinaSteel, Shanghai MingShuo Steel Co Delete

| Operator ID | Operator Name | | |
|-------------|----------------------------|--|--|
| ChinaSteel | Shanghai MingShuo Steel Co | | |

Address

| Country code | Sub-division | City | Street |
|------------------------|--------------|----------|----------|
| CN | Number | Shanghai | P.O. Box |
| Street additional line | | Postcode | |

Contact person

| Name | E-mail | Phone number |
|---------|-------------------|---------------|
| Yu King | yu.king@gmail.com | 99 2323 23 23 |

Figure 17: Installation - Linked Operator Details

- 10) The “Create” button is now enabled on the upper right corner.

Create an installation Cancel Create

Installation ID *

Installation name *

Figure 18: Installation - Create Button

- 11) Once the installation is created, it will be listed in installations’ registry.

3.9 REPORT STATES INFORMATION

This section describes the different states of a CBAM quarterly report and also illustrates the state transitions throughout the CBAM quarterly report lifecycle.

3.9.1 States description

The following table lists all states that a report can have throughout its lifecycle along with their respective descriptions.

| States | Description |
|--------|--|
| Draft | Initial state. The CBAM quarterly report is under preparation by the CBAM Reporting Declarant. |

| States | Description |
|-----------------------------|--|
| Submitted | The CBAM quarterly report has been submitted. |
| Under amendment | The CBAM quarterly report is under amendment by the CBAM Reporting Declarant. |
| Invalidated | The CBAM quarterly report was invalidated by the CBAM Reporting Declarant. A new CBAM quarterly report can be created for this reporting period. |
| Registered | The CBAM quarterly report has been officially registered and is available for further actions by EU & NCA Authorities. The CBAM quarterly report changes to Registered automatically upon expiration of the modification period timer. |
| Under assessment (COM) | The CBAM quarterly report is under assessment by European Commission. |
| Assigned to NCA | The CBAM quarterly report is assigned to the respective NCA. |
| Under review (NCA) | The review process has started by the NCA. |
| Discarded | The CBAM quarterly report has been Discarded by the NCA. This is a final state. |
| Under correction | The CBAM quarterly report is under correction by the CBAM Reporting Declarant (either upon request from NCA or CBAM Reporting Declarant when the state of the review is Under Review (NCA) or Registered). |
| Under Penalties /Litigation | The CBAM quarterly report is under penalties / litigation. |
| Finalized | The CBAM quarterly report evaluation has been completed. Future potential states are Revoked or Archived. |
| Revoked | Once a CBAM quarterly report is finalized the state can change to Revoked. |
| Archived | Once a CBAM quarterly report is finalized the state can change to Archived. |

Table 6: CBAM List of states

The following State Transition Diagram illustrates the full lifecycle of a CBAM quarterly report, the interaction between the Reporting Declarant and the CBAM System, as well as the interaction between European Commission (COM) and National Competent Authorities (NCAs) with the CBAM System in terms of the CBAM quarterly report review.




Figure 19: State Transition Diagram

4 USING THE SYSTEM AS CBAM REPORTING DECLARANT


In this section the main actions that a CBAM Reporting Declarant can perform in the CBAM Declarant Portal are being described.

4.1 MY OPERATORS REGISTRY

CBAM System allows to store information for operators of production installations in third countries. It is suggested to store operators in operator's registry to easily prefill the relevant information when a report is created.

4.1.1 Create an operator

- 1) Open the "Operators Registry" either by clicking on "Operators" icon from the Home Page dashboard or by clicking on "Operators" link in the left side navigation menu.
- 2) Click the "Create an Operator" button on the upper right corner.



The screenshot displays the 'My Operators Registry' interface. At the top, there's a header with the European Commission logo, 'CBAM Carbon Border Adjustment Mechanism', and a user profile section with the text 'cbamdeclarant1_username' and 'CBAMNCAAuthReviewAdmin'. A session timer indicates 'Session will expire in : 29:45'. A notification bar says 'Please fill in the missing contact details in My profile information'. The main content area is titled 'My Operators Registry' and features a table with the following columns: 'Operator ID', 'Operator name', 'Country code', 'City', and 'Actions'. Each column has a corresponding input field below it. A blue button labeled 'Create an operator' is located in the top right corner of the table area.

Figure 20: Operator - Create

- 3) Fill in information in the operator screen details (see Figure 21: Operator Details Screen). Ensure to utilise Latin characters (alpha numeric).

Create an operator

Operator ID *

17

Operator name *

70

Address

Country code *

35

Sub-division

35

City

35

Street

70

Street additional line

70

Number

35

Postcode

17

P.O. Box

70

Contact person

Add new

Contact details

Name *

70

E-mail *

256

Phone number *

35

Figure 21: Operator Details Screen

- 4) Please ensure that mandatory fields (marked with a red asterisk) are filled in as a minimum. When this is done, the “Create” button on the upper right corner will be enabled.

Create an operator

Cancel

Create

Operator ID *

ChinaSteel

7

Operator name *

Shanghai MingShuo Steel Co

44

Address

Figure 22: Create an Operator

- 5) Once the operator is created, it will be listed in Operators Registry.

My Operators Registry

Create an operator

| Operator ID | Operator name | Country code | City | Actions |
|-------------|----------------------------|--------------|----------|---------|
| ChinaSteel | Shanghai MingShuo Steel Co | CN | Shanghai | |

Figure 23: My Operators Registry

4.1.2 Delete an operator

In the operator’s registry,





Figure 24: Operator Registry - Delete action.

when the icon  is clicked for a specific operator, a confirmation message will appear to confirm the action to delete the operator.




Figure 25: Operator Delete - Confirmation message

To proceed with the operator deletion, the “Delete” button needs to be clicked in the confirmation message.

4.1.3 Edit an operator

In the operator’s registry,





Figure 26: Operators' registry

when the icon  is clicked for a specific operator, the operator details screen will open. When changes are completed, the “Save” button needs to be clicked to save the updated operator information. In case, changes are not required, the “Cancel” button needs to be clicked.

| Operator ID | Operator name |
|-------------|----------------------------|
| ChinaSteel | Shanghai MingShuo Steel Co |

Operator ID *

ChinaSteel

Operator name *

Shanghai MingShuo Steel Co

Address

Country code *

CN - China

Sub-division

Unknown

City

Shanghai

Street

Min haiou 23

Street additional line

Number

Postcode

Figure 27: Operation - Save & Cancel

4.2 INSTALLATIONS REGISTRY

CBAM System allows to store information for production installations in third countries. It is suggested to store installations in Installation Registry to easily prefill the relevant information when a report is created.

4.2.1 Delete an installation

In the installations registry,

| My Installations Registry | | | | | Create an installation |
|---------------------------|-------------------|--------------------------|-------|---------|------------------------|
| Installation ID | Installation name | Country of establishment | City | Actions | |
| | | | | | |
| China Steel Being | China Steel Being | CN | Dusan | | |
| Items per page 10 | | | | | |
| Showing 1-1 of 1 | | | | | |

Figure 28: Installation Registry -Delete action



when the icon is clicked for a specific installation, a confirmation message will appear to confirm the action to delete the installation.




Figure 29: Installation Delete - Confirmation message

To proceed with the installation deletion, the “Delete” button needs to be clicked in the confirmation message.

4.2.2 Edit an installation

In the installations registry,



Figure 30: Installation Registry - Edit Action



when the icon  is clicked for a specific installation, the installation details screen will open. When changes are completed, the “Save” button needs to be clicked to save the updated operator information. In case, changes are not required, the “Cancel” button needs to be clicked.

Figure 31: Installation -Cancel and Save buttons

4.3 MY QUARTERLY REPORTS

In this section, each Reporting Declarant can see a table organised per quarters of the year. For each quarter, there might be a CBAM report or not. If a CBAM report exists, then the Reporting Declarant can view it. If no CBAM report has been created, and the reporting period is open for submission of CBAM reports, then the Reporting Declarant can create their report using the user interface (see 4.5.1 Creation of a report or upload it in XML format with attachments packaged in a ZIP file (see 4.5.2 Uploading of a report) or create it using a previous report (see 4.5.14 Duplicating a report).

If no CBAM report has been created and the reporting period is closed for CBAM reports submission, please follow the process 4.5.11 Request to submit a report with a delay.



| Quarter | Year | Last edited | State | Report | Invalidated Reports | Actions |
|---------|------|-------------|-------|---------------|---------------------|--|
| Q2 | 2024 | | | Not Added yet | | |
| Q1 | 2024 | | | Not Added yet | | Create Upload Create using Previous Report |

Figure 32: My Quarterly Reports

4.4 REPORT STRUCTURE & NAVIGATION

The CBAM quarterly report structure consists of three main sections:

- The **Report's header** section where the basic information for the CBAM Reporting Declarant and the reporting period are entered.
- The **CBAM goods imported** section, where the CBAM goods codes imported during the reporting period, along with information regarding their quantities, countries of origin and areas of import are declared in an aggregated way per CN code.
- The **goods emissions** section, where data regarding the CO2 emissions and the emissions qualifying parameters to produce each CBAM good added in the report and any supporting documents, are declared per installation and per production method.




Figure 33: CBAM Report Data Model

Each of the above sections is comprised of the data groups and of the data elements available to be filled in, along with their cardinality, optionality, rules, conditions and code-lists that are applicable for each data. It is to be noted that the hierarchical structure of the data element needed for the report is following the Customs declaration approach as used in the Trans-European Customs systems and provides the advantage to the CBAM Reporting Declarants to declare the emissions and the supporting information for the CBAM goods imported in a familiar and efficient way. The report's structure can also support the submission of supporting documents as binary attachments along with the report. The accepted file formats are: DOC, DOCX, XLS, XLSX, PDF and JPEG. The maximum size of the ZIP file is 20 MB.

Please note that the report can be filled in with one of the two following ways:

- Using the CBAM Reporting Declarant Portal user interface available.
- Uploading a ZIP file containing the XML structure of the report along with the binary attachments.

Instructions on how to fill each section of the report follow below.

4.4.1 Header level of the CBAM Report

Report general information is stored in the header.

Please save the header prior to start filling the goods & emissions section. The draft report ID is filled in automatically (upper left corner). Please note that when the “Validate” button is clicked, the relevant validation errors that need to be addressed are displayed in each tab.

Figure 34: Header - Validation

The “Preview” button can be used to preview all values that are filled in header.

A detailed description of each tab is available below.

4.4.1.1 Reporting Declarant

Reporting Declarant Name, Identification number and Member state of establishment, are filled in automatically.

The rest Reporting Declarant information need to be filled in. As a minimum, the “Name”, “Role” and “City” fields need to be defined in “Reporting Declarant tab”.

The Reporting Declarant role is a mandatory field. Here is an explanation for each option.

Importer for all goods - In case the Reporting Declarant acts as an importer for all goods, the “Importer tab” in the header level and goods level is not required to be filled. Only the checkbox “Declarant acts as an importer” is required to be checked in the Header level -> Importer tab.

Indirect Customs Representative for all goods - In case the Reporting Declarant acts as an indirect customs representative for all goods, the “Indirect customs representative tab” in the header level and goods level is not required to be filled. Only the checkbox “Declarant acts as an Indirect Customs Representative” is required to be checked in the Header -> Indirect Customs Representative tab.

Importer for some goods/ Indirect Customs Representative for some goods – In case the Reporting Declarant acts as indirect customs representative for some goods and as an importer for some other goods, then the importer / indirect customs representative is required to be defined at each good level and the header importer & indirect customs representative tabs are disabled.

Header info

Reporting declarant

Importer

Indirect Customs Representative

Competent authority

Signatures

Declarant details

Name *

Demo CBAM

81

Identification number

GR293847584930295

9

Role *

Importer for all Goods

Representative for all Goods

Importer for some Goods / Representative for some Goods

35

Address

Member State of establishment

BE - Belgium

35

Sub-division

70

Street

70

Street additional line

70

Postcode

17

P.O. Box

70

Number

35

Figure 35: Header - Reporting Declarant tab

4.4.1.2 Importer

If an importer is defined in Header level of CBAM Report, it will be applied for every good item. If the report includes multiple importers, they need to be defined separately for each good.

In case the Reporting Declarant is the importer for all goods, the checkbox “Reporting Declarant acts as importer” could be checked to avoid filling in the same information again.

Header info

Reporting declarant

Importer

Indirect Customs Representative

Competent authority

Signatures

i

If importer is defined here it will be applied for every good item. If the report includes multiple importers, they need to be defined separately for each good.

a

Header level Importer should not be defined when role is Importer for some goods/Indirect Customs Representative for some goods.

☐ Declarant acts as importer

Add importer

Figure 36: Declarant acts as importer Checkbox

However, if the importer is not the same as the Reporting Declarant, then the “Add importer” button should be clicked to fill in importer’s information.

Importer’s details will be deleted from header level of CBAM Report if the “Delete” button is clicked.

Header info

Reporting declarant **Importer** Indirect Customs Representative Competent authority Signatures

i If importer is defined here it will be applied for every good item. If the report includes multiple importers, they need to be defined separately for each good.

⚠ Header level Importer should not be defined when role is Importer for some goods/Indirect Customs Representative for some goods.

Importer details

Delete ^

Name * **Identification number ***

Address

Member state or Country of establishment * Sub-division City *

Street Street additional line Number

Postcode P.O. Box

Figure 37: Header- Importer tab

4.4.1.3 Indirect customs representative

If an indirect customs representative is defined in Header level, it will be applied for every good item. If the report includes multiple indirect customs representatives, they need to be defined separately for each good.

In case the Reporting Declarant is the importer's indirect customs representative for all goods, the checkbox "Reporting Declarant acts as indirect customs representative" could be checked to avoid filling in the same information again.

Header info

Reporting declarant Importer **Indirect Customs Representative** Competent authority Signatures

i If indirect customs representative is defined here it will be applied for every good item. If the report includes multiple indirect customs representatives, they need to be defined separately for each good.

⚠ Header level Indirect customer representative should not be defined when role is Importer for some goods/Indirect customer representative for some goods.

☐ Declarant acts as Indirect Customs Representative

Add Indirect Customs Representative

Figure 38: Declarant acts as indirect customs representative checkbox

However, if the indirect customs representative is not the same as the Reporting Declarant, then the "Add indirect customs representative" button should be clicked to fill in indirect customs representative's information.

Indirect customs representative's details will be deleted from header if the "Delete" button is clicked.

Header info

Reporting declarant Importer **Indirect Customs Representative** Competent authority Signatures

i If indirect customs representative is defined here it will be applied for every good item. If the report includes multiple indirect customs representatives, they need to be defined separately for each good.

A Header level Indirect customer representative should not be defined when role is Importer for some goods/Indirect customer representative for some goods.

Indirect Customs Representative details

Delete ^

Name * 70 Identification number * 17

Address

Member State of establishment * 35 Sub-division 35 City * 35

Street 70 Street additional line 70 Number 35

Postcode 17 P.O. Box 70

Figure 39: Header - Indirect customs representative Tab

4.4.1.4 Competent authority

Competent Authority reference number is automatically filled in based on the country the Reporting Declarant's EORI number belongs to.

In case it is not filled in automatically, please contact your respective National Competent Authority Service Desk.

4.4.1.5 Signatures

All fields of this tab are mandatory to be filled to allow report submission. Date of signature will be filled in by the system upon report submittal.

Header info

Reporting declarant Importer Indirect Customs Representative Competent authority **Signatures**

Report confirmation

Date of signature dd/mm/yyyy 128 Place of signature * 128 Signature (Full Name) * 128 Position of person signing * 128

☐ I certify that to the best of my knowledge the information provided on this form and attachments is accurate and complete.

☐ I confirm that the data and information provided in this CBAM Report are to be used and shared between the EU commission and Competent Authorities in accordance with Regulation (EU) 2023/956 of the European Parliament and of the Council of 10 May 2023 establishing a carbon border adjustment mechanism, Commission Implementing Regulation (EU) 2023/1773 laying down the rules for the application of Regulation (EU) 2023/956 of the European Parliament and of the Council as regards reporting obligations for the purposes of the carbon border adjustment mechanism during the transitional period, and Union or national law.

Figure 40: Header -Signatures tab

4.4.2 CBAM goods Level of the CBAM Report

By clicking on "Goods imported", the user can add as many goods as desired or/and navigate through a list of all goods that have been added. Please note that at least one good must be declared and added in the report.

4.4.2.1 Addition of CBAM goods

The user can add a good by clicking the “Add a good” button, either from the navigation tree on the left or using the button above the table.



Figure 41: Add good

4.4.2.2 Deletion of CBAM goods

The user can delete a good by clicking the  delete icon in the action column in good’s table.




Figure 42: Delete good

A confirmation message will appear to confirm the user action prior the good’s deletion.





Figure 43: Delete good - Confirmation

4.4.2.3 Editing of CBAM goods

Once the user is in Editing mode in the report, the good can be edited either by clicking the respective good on the left navigation tree or by clicking the Edit icon  on the good’s table.




Figure 44: Edit good

4.4.2.4 Saving of CBAM goods

Please ensure to save each good prior to adding/editing other good by clicking the “Save” button.

4.4.2.5 Validating of CBAM goods

The user shall validate separately every Good Imported along with its emissions. After completing the insertion of information, the "Validate" button in “Action menu” must be clicked so that the validation is performed. Possible errors in the validation are shown with a red exclamation mark icon. In order to validate it, edit the respective good and click the Validate button on the Action Menu.




Figure 45: Non-validated good

When the “Validate” button is clicked, validation errors are generated on the good’s level and for each emission added.

Figure 46: Validate Good

In the navigation tree on the left the number of messages that need to be addressed are displayed.




Figure 47: Validate good – Navigation tree indication

Once the mandatory fields are filled in, the process will continue with business rules validation.

Validations and warnings are displayed in the **Validation Results** dialog (see Figure 104: Validations Results Dialog). All messages categorized under "**Error Type**" as "**Errors**" must be resolved before submitting the report. "**Warnings**" should be reviewed and addressed as needed.

Each validation and warning listed in the Validation Results dialog, provides guidance on resolving the issue:

- **Message:** Direction on how to resolve the issue. Using the action, you can view the full message on top of the dialog (see Figure 105: Validation Results - Action view).
- **Pointer:** Identifies the good and emission and field that triggered the error.
- **Code:** Refers to the Rule Code that generated the message, as defined in the published report structure (see 5.3 Report structure).


4.4.2.6 How to fill in the good

The following sections are describing how to fill in the details in each tab.


4.4.2.6.1 Importer

In the “Importer” tab, the user can check the box appearing in case the Reporting Declarant acts as importer or click on the “Add importer” button to add importer details. If an importer is defined in the Header level, ensure not to select an importer in good’s level.

Goods imported 27160000



Importer Indirect Customs Representative Goods imported Supplementary

 The checkbox 'Declarant acts as an importer' or 'Importer' are not valid when the header role is 'Importer for all Goods'


☐ Declarant acts as importer

Add importer


Figure 48: Good Level - Importer tab

If the user clicks the “Add importer” button then he/she can add details of the importer on the appearing menu, where all fields marked with an asterisk are mandatory.


Goods imported 27160000



Importer Indirect Customs Representative Goods imported Supplementary

 The checkbox 'Declarant acts as an importer' or 'Importer' are not valid when the header role is 'Importer for all Goods'

Importer details



Name * 70 Identification number * 17

Address

Member state or Country of establishment * 35 Sub-division 35 City * 35

Street 70 Street additional line 70 Number 35

Postcode 17 P.O. Box 70

Figure 49: Good Level - Add Importer

If the user needs to delete an importer, he/she can click the “Delete” button on the up-right corner of the menu.

4.4.2.6.2 Indirect customs representative

In the “Indirect customs representative” tab, the user can check the box appearing in case the Reporting Declarant acts as indirect customs representative or click on the “Add indirect customs representative” button to add indirect customs representative details.

| Importer | Indirect Customs Representative | Goods imported | Supplementary |
|----------|---------------------------------|----------------|---------------|
| | | | |

☐ Declarant acts as Indirect Customs Representative

If the user clicks the “Add indirect customs representative” button then he/she can add details of the indirect customs representative on the appearing menu, where all fields marked with an asterisk are mandatory.

| Importer | Indirect Customs Representative | Goods imported | Supplementary |
|----------|---------------------------------|----------------|---------------|
|----------|---------------------------------|----------------|---------------|

 The checkbox 'Declarant acts as an Indirect Customs Representative' or 'Indirect Customs Representative' are not valid when the header role is 'Indirect Customs Representative for all Goods'.

If the user needs to delete an indirect customs representative, he/she can click the “Delete” button on the up-right corner of the menu.

In “Goods imported” tab, the user must fill in all the mandatory fields marked with an asterisk.

Goods Imported

27160000

Back

Validate

Save

| CH code | Country of origin | Quantity | Goods imported total emissions |
|----------|-------------------|----------|--------------------------------|
| 27160000 | | | 0 |

Header info

Goods imported

Add a good

1.27160000

0 | 0 Tonnes

1 emissions

Add an emission

Goods imported 27160000

Importer

Indirect Customs Representative

Goods Imported

Supplementary

Commodity

HS sub-heading code *

271600 - Electrical energy

CH code *

00 - Electrical energy

Description of goods *

Electrical energy

Country of origin

Country code *

Imported quantity per customs procedure

Add new

Application User Manual - CBAM Declarant Portal ver 1.4.1.1
Document version 1.81 EN dated 18/03/2025
Confidentiality: Publicly available (PA)

Figure 53: Goods imported tab 2/3

Figure 54: Goods imported tab 3/3

Figure 55: HS sub-heading code selection

By clicking the “Add new” button right below the “Imported quantity per customs procedure” line, the user can add more than one quantity of goods imported in case the customs procedure differs from one import procedure to another import procedure.

Imported quantity per customs procedure

[Add new](#)

1. Requested procedure: | Area of import:

Area of import

Area of import

Procedure

Requested procedure *

Previous procedure

Goods measure (per procedure)

[Add new](#)

☐ Inward processing

Net mass *

Type of measurement unit *

Special references for goods

Additional information

512

2.

[Delete](#)

Area of import

Area of import

Procedure

Requested procedure *

Previous procedure

Goods measure (per procedure)

[Add new](#)

☐ Inward processing

Net mass *

Type of measurement unit *

Special references for goods

Additional information

512

Figure 56: Imported quantity per customs procedure

Please note that goods Imported total emissions, goods emissions per unit of product, goods Direct Emissions and goods indirect emissions will be filled in automatically based on the emissions information to be added for each good.

In case the previous procedure is inward processing, the 51 (Inward processing procedure (suspension system)) and 54 (Inward processing (suspension system) in another Member State (without their being released for free circulation in that Member State)) codes are available. By clicking the “Add new” button right below the “Goods measure (per procedure)” line, the user can add more than one measure of goods. The checkbox “Inward processing” that is present in this section has the following meaning:

- If not checked, then it defines the quantity of the CBAM Good that is released for free circulation as an unprocessed good.
- If checked, then it defines the quantity of the CBAM Good within processed goods (from Inward Processing) which are released for free circulation as a processed good.

Please note that it is possible to add until two instances of Goods measure per procedure to cover the above business cases.

1. Requested procedure: | Area of import:

Area of import

Area of import

Procedure

Requested procedure *

Previous procedure

Goods measure (per procedure)

[Add new](#)

☐ Inward processing

Net mass *

Type of measurement unit *

Special references for goods

Additional information

512

2.

[Delete](#)

Area of import

Area of import

Procedure

Requested procedure *

Previous procedure

Goods measure (per procedure)

[Add new](#)

☐ Inward processing

Net mass *

Type of measurement unit *

Special references for goods

Additional information

512

Figure 57: Goods measure per procedure

Note: Starting from Q2-2024 reporting period, Net Mass should always be reported in Tonnes (Kg will no longer be selectable). Therefore, for all goods (except electricity) the measurement unit will be Tonnes.

4.4.2.6.4 Supplementary

In “Supplementary” tab, the user can add information about the good in the textbox or/and add “Supporting” documents by clicking the “Add new” button.


Figure 58: Goods - Supplementary tab




By clicking the “Add new” button, the user needs to fill in the fields marked with an asterisk as they are mandatory. If the user needs to delete the supporting document, he/she can do so by clicking the “Delete” button on the upper right corner of the menu. Please note that the element “URI” is no longer available for reporting periods Q3-2024, Q4-2024, Q1-2025, Q2-2025, Q3-2025, Q4-2025.

Figure 59: Goods - Add supporting documents

4.4.2.7 Duplicating of CBAM Goods

In cases where the emissions information is the same for different goods that are produced from the same installation, the “Duplicate Good” feature can be used.

In Goods imported table, in the Actions column, the “Duplicate Icon”  can be used to duplicate the same contents of the good where the icon is clicked.

| Goods imported | | | | | | Add a good |
|----------------------|--------------------------|----------------------|-----------------------------------|----------------------|----------------------------------|---|
| CN code ▾ | Country of origin ▾ | Importer ▾ | Indirect Customs Representative ▾ | Quantity ▾ | Goods imported total emissions ▾ | Actions |
| <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> | |
| ✓ 72012000 | AI - Anguilla | | | 100 | 1200 t CO2 | Duplicate Good |
| ✓ 27160000 | AG - Antigua and Barbuda | | | 250 | 250 t CO2 |    |

Items per page 10 ▾
Showing 1–2 of 2

⏪ ⏩ ⏴ ⏵

Figure 60: Goods - Duplicate Good

Once the new good has been selected, it can be edited as needed (see 4.4.2.3 Editing of CBAM goods).

4.4.3 Emissions level of CBAM report

For each CBAM good added in the report, its respective emissions need to be declared. Multiple emissions can be added based on installation/country of production.

4.4.3.1 Addition of Emissions

Click the “Add an emission” button the left side of the screen to get the process started. For each emission added, an incremental number will be shown automatically.


Goods imported
73021028

[Back](#)
[Validate](#)
[Save](#)

| CN code | Importer | Representative | Country of origin | Quantity | Goods imported total emissions |
|----------|----------|----------------|-------------------|----------|--------------------------------|
| 73021028 | | | AO | | |

Goods imported 73021028
Of a weight per metre of less than 36kg

Emissions
[Add an emission](#)

1. | 

1. |

Installations
Emissions
Parameters
Carbon price due
Supplementary

Country of production

The company name of the installation
[Add new](#)

Installation
[Add new](#)

Figure 61: Add an emission

4.4.3.2 Deletion of Emissions


In order to delete an emission data elements group, click the  next to emission sequence number.

Figure 62: Delete emission.

4.4.3.3 Editing of Emissions

Emissions can be edited once the related good is in edit mode, see 4.4.2.3 Editing of CBAM good. In the left navigation tree, click the emission that needs to be edited. Please note that if “Save” button is clicked from the “Action menu” the good & emission information is saved and the good will need to be reopened to continue with emissions editing.

Figure 63: Edit good

4.4.3.4 How to fill in the emissions

The following sections will describe each screen tab in detail.

4.4.3.4.1 Installations

In this tab the following information need to be defined: Country of production, Operator (Company that owns the installation), and Installation.

Operator & Installation are optional elements, however it is advisable to define them per legislation.

Country of production is mandatory to be defined (it should match the country of installation establishment if defined).

2. |

Installations

Parameters

Emissions

Carbon price due

Supplementary

Country of production *

The company name of the installation

Add new

Installation

Add new

Figure 64: Installation - Country of production

The company name that owns the installation (Operator) can be filled using one of the below methods

- a) Fill in directly in the report or
- b) Select an Operator from “My Operators registry” (See section 4.1 My Operators Registry) or
- c) Select an Operator from the “Operators of Third Country Installations Registry”. The Operator must have first shared at least one installation with the Declarant’s EORI.

Click the “Add New” button to proceed with the operator addition.

1. |

Installations

Parameters

Emissions

Carbon price due

Supplementary

Country of production *

VN - Vietnam

The company name of the installation

The company name of the installation

Delete

Search in Operators of Third Country Installations registry

Search in My operator registry

Operator ID *

Operator name *

Address

Country code *

Sub-division

City *

Street

Street additional line

Number

Postcode

P.O. Box

Contact person

Add new

Contact details

Name *

E-mail *

Phone number *

Figure 65: Emissions - Operator (The company name of the installation)

An operator can be selected from “My operator’s registry” by clicking the “Search in My Operator Registry. In this case the fields are populated with the information available and can be edited if needed. See Figure 66: Emissions - Operator (Information filled in from My Operator Registry) or directly in the report.

The company name of the installation

ChinaSteel, Shanghai MingShuo Steel Co Delete ^

[Search in Operators of Third Country Installations registry](#) [Search in My operator registry](#)

Operator ID * 7 Operator name * 44

Address

Country code * 35 Sub-division 27 City * 27

Street 70 Street additional line 70 Number 23

Postcode 12 P.O. Box 70

Contact person

[Add new](#)

Contact details ^

Name * 83 E-mail * 238 Phone number * 21

Figure 66: Emissions - Operator (Information filled in from My Operator Registry) or directly in the report.

An operator can be selected from “Operators of Third Country installations registry” by clicking the “Search in Operators of Third Country Installation Registry”. Please note that the operators listed are the ones that:

- The operator has shared an installation with Declarant’s EORI;
- An installation exists that is producing the good in the country of production defined in the report.

Search in Operators of Third Country Installations registry ✕

i Operators listed are filtered to match Declarant's EORI# and Installation Country of Production that produces the Good selected.

| | Operator ID | Operator name | Country code | City |
|-----------------------|--------------------|---------------------|--------------|---------|
| <input type="radio"/> | CN.000000000000002 | TEST LEGAL NAME CN2 | CN | Shangai |

Items per page 10 ▼

Showing 1–1 of 1

⏪ ⏩ ⏴ ⏵

Cancel OK

Figure 67: Operator selection from Operators of Third country Installations registry

In case an operator is selected from “Operators of Third country Installation registry”, the operator fields are populated with the information available and cannot be edited.

The company name of the installation

The screenshot shows a web form titled 'Operator' with a header bar containing 'CN.00000000000002, TEST LEGAL NAME CN2' and a 'Delete' button. Below the header, there are two search links: 'Search in Operators of Third Country Installations registry' and 'Search in My operator registry'. The form is divided into several sections: 'Operator ID' (CN.00000000000002), 'Operator name' (TEST LEGAL NAME CN2), 'Address' (Country code: CN - China, Sub-division: CN Subdivision, City: Shanghai, Street: Shanghai Street, Street additional line: 4, Number: 24c, Postcode: 50423, P.O. Box: Shanghai Street additional line), and 'Contact person' (Name: OP02-0002 Contact Name, E-mail: OP02-0002@cbam.com, Phone number: +49232476490). There is an 'Add new' button in the 'Contact person' section.

Figure 68: Emissions - Operator (Information filled in from Operators of Third Country Installation Registry)

The installation can be filled in using one of the below methods:

- Fill in directly in the report or
- Select an Installation from “My Installations registry” (See section 4.2 Installations registry) or
- Select an Installation from the “Operators of Third Country Installations Registry”. The Operator must have first shared at least one installation with the Declarant’s EORI.

Click the “Add New” button to proceed with the installation addition.

Installation

The screenshot shows a web form titled 'Installation' with a header bar containing 'Installation' and a 'Delete' button. Below the header, there are two search links: 'Search in Operators of Third Country Installations registry' and 'Search in My Installation Registry'. The form is divided into several sections: 'Installation ID' (empty), 'Installation name' (empty), 'Address' (Country of establishment: empty, Sub-division: empty, City: empty, Street: empty, Street additional line: empty, Number: empty, Postcode: empty, P.O. Box: empty, Plot or parcel number: empty), 'UNLOCODE' (Type to search UNLOCODE: empty), 'Coordinate latitude (N-S)' (empty), 'Coordinate longitude (E-W)' (empty), and 'Type of coordinates' (empty). There is an 'Add new' button in the 'Address' section.

Figure 69: Emissions - Installation fields

An installation can be selected from the “My Installations” registry by clicking the “Search in My Installation registry”. Please note that the installation available to be selected are the ones that have been associated with the operator selected.

Installation

A0XSBCBKRD10LX6S, GPK Korea Inc Delete ^

Search in installation registry

Installation ID * 57 Installation name * 57

Address

Country of establishment * 70 Sub-division 35 City 28

Street 70 Street additional line 70 Number 35

Postcode 17 P.O. Box 70 Plot or parcel number 15

UNLOCODE 17 Coordinate latitude (N-S) 17 Coordinate longitude (E-W) 17 Type of coordinates

Figure 70: Emissions-Installation information filled in from Installations Registry or directly in the report

An installation can be selected from “Operators of Third Country installations registry” by clicking the “Search in Operators of Third Country Installation Registry”. Please note that the installation listed are the ones that:

- The operator has shared an installation with Declarant’s EORI;
- An installation exists that is producing the good in the country of production defined in the report.

Search in Operators of Third Country Installations registry ✕

i Installations listed are filtered to match the Operator selected (if any), Declarant’s EORI# and Installation Country of Production that produces the Good selected.

| | Installation ID | Installation name | Country of establishment | City |
|-----------------------|----------------------|-------------------------|--------------------------|----------------------|
| | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> |
| <input type="radio"/> | IN02 | Pumaaa Steel Co., Ltd | CN | Wuxi |
| <input type="radio"/> | IN06 | Hangzhou Steel Co., Ltd | CN | Beijing |

Items per page **10** Showing 1–2 of 2 ⏪ ⏩ ⏴ ⏵

Cancel OK

Figure 71: Installation selection from Operators of Third country Installations registry

In case an installation is selected from “Operators of Third Country Installation registry”, the installation fields are populated with the information available and cannot be edited.

Installation

IN02, Pumaana Steel Co., Ltd Delete ^

[Search in Operators of Third Country Installations registry](#) [Search in My Installation Registry](#)

Installation ID * 16 Installation name * 235

Address

Country of establishment * 5 Sub-division 20 City * 31

Street 56 Street additional line 48 Number 33

Postcode 11 P.O. Box 57 Plot or parcel number 15

UNLOCODE 8 Coordinate latitude (N-S) 8 Coordinate longitude (E-W) 8 Type of coordinates

Figure 72: Emissions -Installation information filled in from Operator of Third Country Installation Registry

4.4.3.4.2 Parameters

This screen varies based on the good selected. The information provided helps to justify the emissions calculated.

The first section is related to the production methods used and the second section is related to the emission qualifying parameters applicable for the production method selected.

1. CN | Pumaana Steel Co., Ltd

[Installations](#) [Parameters](#) [Emissions](#) [Carbon price due](#) [Supplementary](#)

Production method

[Add new](#)

Emissions qualifying parameters

[Add new](#)

Production Methods and Emission qualifying parameters are optional. However in case the emissions need to be obtained from O3CI , the production method must be selected.

When the “Add new” button is clicked, based on the operator/installation selected the dialog in Figure 73 or Figure 74 will be shown.

| Code | Method |
|---------------------------|-------------|
| <input type="radio"/> P08 | Electricity |

Items per page 10

Cancel OK

Figure 73: Production Method selection (without O3CI emissions selected)

| Code | Method | Production Year |
|---------------------------|---|-----------------|
| <input type="radio"/> P46 | Integrated production with primary smelting | 2023 |
| <input type="radio"/> P45 | Aluminium products | 2024 |

Items per page 10

Cancel OK

Figure 74: Production Method selection from Operators of Third Country Installations registry

Choose a production method from the list and the relevant entry will be added in the “Parameters” tab. If you select an O3CI production method, the "Emissions" tab will be automatically populated. See 4.4.3.4 Emissions for further information and the relevant process in 4.4.3.5 Process – CBAM Transitional Integration with “Operator of Third Country Installation Registry” (O3CI).

1. CN | Pumaaa Steel Co., Ltd

Installations Parameters Emissions Carbon price due Supplementary

Production method

Add new

1.P46, Integrated production with primary smelting

Delete

| Method | Additional information | Production Year |
|---|------------------------|-----------------|
| P46 - Integrated production with primary smelting | 512 | 2023 |

Figure 75: Selected Production Method from Operators of Third Country Installation registry

Once a production method is selected, in emissions qualifying parameters section click the “Add new” button to add the default qualifying parameters per production method (if available). When an emission qualifying parameter is added, its value needs to be filled in. The value can either be numeric or text or percentage. The type of the value is visible in the description.

Direct Emissions qualifying parameters

Add new

P09, Mixed fertilizer production

1. Clinker factor

Clinker factor - QPD02 (PERCENTAGE) ⓘ

Value

%

Default value

N/A

Additional information

Figure 76: Emissions qualifying parameters

Click the “Add new” button to add other qualifying parameters.

Search in emissions qualifying parameters

Production method

Blast furnace / Basic oxygen steel...

| Parameter Id | Parameter name | Parameter description |
|-----------------------|----------------|-----------------------|
| | | |
| <input type="radio"/> | OTHER | - |

Items per page

10

Showing 1–1 of 1

Cancel

OK

Figure 77: Add new qualifying parameters

In reporting periods Q423, Q124 & Q224 the indirect emissions qualifying parameters are not required to be filled in when electricity is selected as good.

Indirect Emissions qualifying parameters

Add new

P17, Blast furnace / Basic oxygen steel making

1. N in (organic) forms

N in (organic) forms - EQP7 (PERCENTAGE) ⓘ

Value

%

Default value

-

Type of determination

Additional information

Figure 78: Indirect Emissions qualifying parameters (applicable for Q423, Q124 & Q224 reporting periods)

Direct Emissions qualifying parameters

Add new

P34, Iron or steel products

1. Steel pre-consumer scrap

Steel pre-consumer scrap - QPD18 (PERCENTAGE) ⓘ

Value %

Default value ☐ -

Additional information

2. Nickel content

Nickel content - QPD15 (PERCENTAGE) ⓘ

Value %

Default value ☐ -

Additional information

3. Content of other alloy elements

Content of other alloy elements - QPD16 (PERCENTAGE) ⓘ

Value %

Default value ☐ -

Additional information

4. Steel product scrap usage

Steel product scrap usage - QPD19 (NUMERIC) ⓘ

Value

Default value ☐ -

Additional information

Figure 79: Direct Emission qualifying parameters (applicable for Q423, Q124 & Q224 reporting periods)

Starting from reporting periods Q324, the indirect emissions qualifying parameters section is no longer visible, and instead the “Direct Emissions Qualifying Parameters” is now renamed to “Emissions Qualifying Parameters” (see Figure 80).

1. |

Installations

Parameters

Emissions

Carbon price due

Supplementary

Production method

Add new

1.P24, Blast furnace route

Method

P24 - Blast furnace route

Identification number of the specific steel mill

288

Additional information

512

Delete

Emissions qualifying parameters

Add new

P24, Blast furnace route

1. Steel pre-consumer scrap

Steel pre-consumer scrap - QPD18 (PERCENTAGE) ⓘ

Value %

Default Value N/A

Additional information

Figure 80: Production Method and Emissions Qualifying Parameters

4.4.3.4.3 Emissions

The emissions tab will be differentiated when Electricity is selected in good’s section. Ensure to fill in all mandatory fields.

1. KR | GPK Korea Inc

Installations **Emissions** Parameters Carbon price due Supplementary

Goods measure (produced)
 Supplementary units * Type of measurement unit *

Direct embedded emissions
 Type of determination (electricity) * Type of applicable reporting methodology Applicable reporting methodology
 Commission rules Per Commission
 Type of measurement unit * Source of emission factor (for electricity) Other source indication Emission factor
 Tonnes Electricity imported Total embedded emissions of electricity imported Justification
 Source of emissions factor value Electricity imported Total embedded emissions of electricity imported Justification
 Fulfilment of conditionality

Installation emissions
 Installation total emissions t CO2 Installation direct emissions t CO2 Type of measurement unit for emissions *

Figure 81: Emissions tab - Applicable to Electricity good (Reporting Periods Q4-2023, Q1-2024, Q2-2024)

Installations **Emissions** Parameters Carbon price due Supplementary

Goods measure (produced)
 Supplementary units Type of measurement unit *

Direct embedded emissions
 Type of determination (electricity) Additional Information
 Type of measurement unit Source of emission factor (for electricity) Other source indication Emission factor
 Tonnes Electricity imported Total embedded emissions of electricity imported
 Source of emissions factor value Electricity imported Total embedded emissions of electricity imported
 Justification Fulfilment of conditionality

Installation emissions
 Installation total emissions t CO2 Installation direct emissions t CO2 Type of measurement unit for emissions *

Figure 82: Emissions tab - Applicable to Electricity good (Reporting periods Q3-2024 and forward)

For all goods except electricity, both direct and indirect embedded emissions need to be defined. Based on type of determination, some fields may become read only.

1. KR | GPK Korea Inc

| Installations | Emissions | Parameters | Carbon price due | Supplementary |
|--|-----------|--|--|--|
| Goods measure (produced) | | | | |
| Net mass * | | Type of measurement unit * | | |
| 100 | | Tonnes | | |
| Direct embedded emissions | | | | |
| Type of determination * | | Type of applicable reporting methodology * | Applicable reporting methodology | |
| Actual data | | Commission rules | Per Commission | |
| Specific (direct) embedded emissions * | | Type of measurement unit * | | |
| 1.2 tCO2/unit | | Tonnes | | |
| Indirect embedded emissions | | | | |
| Type of determination * | | Source of emission factor * | Source of electricity * | Other source indication |
| | | | | 250 |
| Electricity consumed * | | Emission factor * | Specific (indirect) embedded emissions | Type of measurement unit * |
| | | | tCO2/unit | |
| Installation emissions | | | | |
| Installation total emissions | | Installation direct emissions | Installation indirect emissions | Type of measurement unit for emissions * |
| 120 t CO2 | | 120 t CO2 | t CO2 | Tonnes |

Figure 83: Emissions tab- Applicable for all goods except electricity

Please note that default values for specific direct embedded emissions and specific indirect embedded emissions are displayed on screen (see Figure 84: Emissions-Default Values) based on good selected and provided the option “Other methods including default values” is selected in “Type of Determination”. (Note that the option to reporting default values is applicable only for reporting periods Q4-2023, Q1-2024, Q2-2024).

| Installations | Emissions | Parameters | Carbon price due | Supplementary |
|---|-----------|--|--|--|
| Goods measure (produced) | | | | |
| Net mass * | | Type of measurement unit * | | |
| 100 | | Tonnes | | |
| Direct embedded emissions | | | | |
| <div> <div></div> <div>If you intend to report a default value made available and published by the Commission, the default value corresponding to this CN code is 50 t CO2/unit of product</div> </div> | | | | |
| Type of determination * | | Type of applicable reporting methodology * | Applicable reporting methodology | |
| Other methods including default values | | Commission rules | | |
| Specific direct embedded emissions * | | Type of measurement unit * | | |
| | | Tonnes | | |
| Indirect embedded emissions | | | | |
| <div> <div></div> <div>If you intend to report a default value made available and published by the Commission, the default value corresponding to this CN code is 70 t CO2/unit of product</div> </div> | | | | |
| Type of determination * | | Source of emission factor * | Source of electricity * | Other source indication |
| Other methods including default values | | | | 250 |
| Electricity consumed * | | Emission factor * | Specific indirect embedded emissions * | Type of measurement unit * |
| | | t CO2/MWh | t CO2/unit | Tonnes |
| Installation emissions | | | | |
| Installation total emissions | | Installation direct emissions | Installation indirect emissions | Type of measurement unit for emissions * |
| | | t CO2 | t CO2 | Tonnes |

Figure 84: Emissions-Default Values

For imports as from 1 July 2024, reporting declarants are required to report actual emissions for each CBAM good imported into the EU (exception: Good is electricity). Reporting declarants are liable and may be subject to penalties where they fail to comply with the CBAM reporting obligation and where they have not taken the necessary steps to comply with the obligation to submit a complete and accurate CBAM report, following the correction procedure. Reporting declarants must undertake all possible efforts to obtain actual emission data from their supplier(s) or producer(s) of CBAM goods.

Where reporting declarants eventually fail to get data on actual emissions, reporting declarants shall select, in the field "Type of determination", the option "Actual data not available". This option exists for

both direct and indirect embedded emissions. Note that if this option is chosen, the CBAM report will be considered incorrect/incomplete.

If the option "Actual data not available" is chosen, reporting declarants should also follow these steps:

1. Use the "Additional Information" field to provide justifications on why the actual emissions data is missing.
2. In the tab "Supplementary", upload supporting documents attesting unsuccessful efforts and steps taken to obtain data from suppliers and/or producers."

Note that where the option "Actual data not available" is chosen, subsequent fields in the Emissions tab will become non-editable (i.e. for direct embedded emissions: the field "type of reporting methodology"; for indirect embedded emissions: the fields "Source of emission factor" and "Source of electricity") and numeric fields will be automatically filled with "0". See Figure 85: Emissions - Actual data not available.

1. |

Installations **Emissions** Parameters Carbon price due Supplementary

i Please, only use a dot (.) to separate decimals.

i Amounts must be reported in tonnes. Please, make sure that the amounts reported have been correctly converted into tonnes.

Goods measure (produced)

Net mass * Type of measurement unit *

Direct embedded emissions

Type of determination * Type of applicable reporting methodology * **i**

Specific direct embedded emissions *

t CO2/unit Type of measurement unit

Indirect embedded emissions

Type of determination *

Source of emission factor

Electricity consumed * MWh/unit Emission factor * t CO2/MWh Specific indirect embedded emissions t CO2/unit Type of measurement unit *

Source of emissions factor value

Installation emissions

Installation total emissions t CO2 Installation direct emissions t CO2 Installation indirect emissions t CO2 Type of measurement unit for emissions *

Figure 85: Emissions - Actual data not available

Please note that the summation of all Goods measure (produced) net mass or supplementary units defined in emissions, should be the same value as the one declared in Goods level.

In case an O3CI Operator, Installation and Production Method are selected, the emissions are filled in automatically and are shown as read only on screen. See figures Figure 86 & Figure 87. Please note that the declarant **remains liable** for these values. If you disagree with the provided emissions data, please remove the selected third-country operator and installation.

1. CN | InstallationName0

Installations Parameters **Emissions** Carbon price due Supplementary

Third-country operator's emissions data have been selected. The declarant remains liable for these values. If you disagree with the provided emissions data, please remove the selected third-country operator and installation.

Please, only use a dot (.) to separate decimals.

Amounts must be reported in tonnes. Please, make sure that the amounts reported have been correctly converted into tonnes.

Goods measure (produced)
 Net mass * 12 Type of measurement unit * Tonnes

Direct embedded emissions
 Type of determination * Actual data
 Specific direct embedded emissions * 0.32 t CO2/unit

Indirect embedded emissions
 Type of determination * Actual data Specific indirect embedded emissions 1.32 t CO2/unit Type of measurement unit * Tonnes

Absolute emissions for the imported goods
 Total absolute emissions for the imported goods 19.6900000 t CO2
 Absolute direct emissions for the imported goods 3.8400000 t CO2
 Absolute indirect emissions for the imported goods 15.8400000 t CO2 Type of measurement unit for emissions * Tonnes

Figure 86: Emissions filled in from O3CI (all goods except electricity)

1. BA | Bosnia electricity production

Installations Parameters **Emissions** Carbon price due Supplementary

Third-country operator's emissions data have been selected. The declarant remains liable for these values. If you disagree with the provided emissions data, please remove the selected third-country operator and installation.

Please, only use a dot (.) to separate decimals.

Goods measure (produced)
 Supplementary units 10000 Type of measurement unit * MWh

Direct embedded emissions
 Type of determination (electricity) * Actual data
 Emission factor 1.78 t CO2/MWh Electricity imported 10000 Total embedded emissions of electricity imported 17800

Absolute emissions for the imported goods
 Total absolute emissions for the imported goods 17800 t CO2
 Absolute direct emissions for the imported goods 17800 t CO2 Type of measurement unit for emissions * Tonnes

Figure 87: Emissions filled in from O3CI (good electricity)

4.4.3.4.4 Indirect Embedded Emissions: Distinction of the options available in the CBAM Transitional Registry

Default values made available and published by the Commission (please note that this option is only possible for Q4/23, Q1/24 and Q2/24)

-From the element “Type of determination”, choose the option “Estimated values including default values made available and published by the commission”; and

-From the element “Source of electricity”, choose the applicable option to your case.

Once these options are selected, the default value for specific indirect embedded emissions is displayed in the registry. It is expressed in t CO2/unit of goods. After manually entering the value in the corresponding field, it is automatically multiplied with the amount of goods (tonnes) to arrive at the total indirect emissions (tonnes).

Average emission factor of the country of origin electricity grid (based on IEA data provided by the Commission)

-From the element “Type of determination”, choose the option “Actual data”.

- From the element “Source of emission factor”, choose “Commission based on IEA data”.
- From the element “Source of electricity”, choose received from the grid; and
- In the element “Electricity consumed”, provide the correct amount (expressed in MWh/unit of goods) of electricity consumed.

Once these steps are taken, the emission factor (expressed in t CO₂/MWh) is displayed automatically in the registry. This value is automatically multiplied by the actual amount of electricity consumed in the production of a good (MWh/unit of goods). The result is a value of t CO₂/unit of goods, which is automatically multiplied with the amount of goods (tonnes) to arrive at the total indirect emissions (tonnes).

Any other emission factor of the country of origin electricity grid based on publicly available data

- From the element “Type of determination”, choose the option “Actual data”.
- From the element “Source of emission factor”, choose “Other”;
- From the element “Source of electricity”, choose “Received from the grid”.
- Under the elements “Other source indication” and “Source of emission factor value” clearly reference the publicly available and reliable source you are referring to (via explanation and a link to the dataset, for example); and
- In the element “Electricity consumed”, provide the correct amount (expressed in MWh/unit of goods) of electricity consumed; and
- In the element “Emission factor”, provide the other emission factor (expressed in t CO₂/MWh).

Once these steps are taken, the emission factor is automatically multiplied by the actual amount of electricity consumed in the production of a good (MWh/unit of goods). The result is a value of t CO₂/unit of goods, which is automatically multiplied with the amount of goods (tonnes) to arrive at the total indirect emissions (tonnes).

Actual emission factor for indirect emissions,

- From the element “Type of determination”, choose the option “Actual data”.
- From the element “Source of emission factor”, choose “Other”.
- From the element “Source of electricity”, choose either “Direct technical link to electricity generator” or the option “(Bilateral) power purchase agreement” (as applicable).
- Under the elements “Other source indication” and “Source of emission factor value” clearly specify and explain how exactly you fulfil the concrete requirements of the selected option and how the emission factor value has been calculated (you are also encouraged to upload supporting documents in the “Supplementary” tab to do this);
- In the element “Electricity consumed”, provide the correct amount (expressed in MWh/unit of goods) of electricity consumed; and
- In the element “Emission factor”, provide the actual emission factor (expressed in t CO₂/MWh).

Please note that to use the actual emission factor for indirect emissions, one of two conditions have to be fulfilled: either there is a direct technical link between the installation producing the goods and the generated electricity; or there is a Power Purchase Agreement between the installation and the electricity producer. In both cases, the electricity needs to be used to produce the relevant goods. If one of the conditions is fulfilled and the above-mentioned steps are taken, the emission factor is automatically

multiplied by the actual amount of electricity consumed in the production of a good (MWh/unit of goods). The result is a value of t CO2/unit of good, which is automatically multiplied with the amount of goods (tonnes) to arrive at the total indirect emissions (tonnes).

4.4.3.4.5 Carbon price due

This section is optional. In case CO2 emissions are due in other countries, in this section all relevant information will be required to be filled in. The most important information to be provided is the national legal basis of the carbon pricing scheme including the implementing provisions and their respective sources.

Click the “Add New” button to start filling in the details. Please note that multiple sections can be added based on the country/type of instrument combinations in reporting periods Q4-2023, Q1-2024, Q2-2024.

1. US | Fort Knox Metal works

InstallationsEmissionsParametersCarbon price dueSupplementary

Provide supplementary information for instrument reference description

Please provide the national legal basis of the carbon pricing scheme including the implementing provisions and their respective sources. Please enclose with this report one of the following:

a. A web address which provides direct access to it, and

b. a copy of the relevant extracts of the final text(s) of the legal basis

Please provide the above in the 'Supplementary tab' under in the 'Supporting Documents' section.

Carbon price due

Add new

Figure 88: Carbon price due tab

For each country/type of instrument combination, multiple goods covered under carbon price due can be defined by clicking the “Add New” button below the “Goods covered under carbon price due” label (only applicable in Q4-2023, Q1-2024, Q2-2024 reporting periods).

Carbon price due
[Add new](#)

1. Delete ^

Country code * Type of instrument * Description and indication of legal act * 512

Amount of the carbon price due * Currency * Exchange Rate to Euro * Amount (EURO)

Goods covered under carbon price due
[Add new](#)

1. ^

Type of product * Quantity of emissions covered * t CO₂ Quantity covered by free allocations, any rebate or any other form of compensation * t CO₂ CN of Product covered

Supplementary information 258

Goods measure (covered)
 Net mass Type of measurement unit

Figure 89: Carbon price due – Details (Reporting Period Q4-2023, Q1-2024, Q2-2024)

Starting from Q3 2024, the “Carbon Price Due” tab has been simplified, as illustrated in Figure 90. Only one entry can be added, which will correspond to the actual product. Note that the CN Code is prefilled with the relevant code for which the carbon price is applicable.

Installations Emissions Parameters **Carbon price due** Supplementary

Provide supplementary information for instrument reference description
 Please provide the national legal basis of the carbon pricing scheme including the implementing provisions and their respective sources. Please enclose with this report one of the following:
 a. A web address which provides direct access to it, and
 b. a copy of the relevant extracts of the final text(s) of the legal basis
 Please provide the above in the 'Supplementary tab' under in the 'Supporting Documents' section.

Please, only use a dot (.) to separate decimals.

Amounts must be reported in tonnes. Please, make sure that the amounts reported have been correctly converted into tonnes.

Carbon price due

1. Delete ^

Country code where carbon price is due * Form of carbon price * Description and indication of legal act for the carbon price, and for possible rebate or other form of compensation obtained * 512

Effective carbon price due (per produced t of goods or per MWh) * Currency * Exchange Rate to Euro * Amount (EURO)

Goods covered under carbon price due

1. Actual product ^

CN of Product covered 76090000

Type of Goods Covered * Actual product

Additional information * 512

Embedded emissions covered by the carbon price * t CO₂ / unit Embedded emissions covered by rebate or any other form of compensation * t CO₂ / unit

Figure 90 : Carbon price due details (Q3-2024 reporting period and forward)

Please fill in all mandatory fields. Regarding exchange rates, these will be defined by the European Commission.

4.4.3.4.6 Supplementary

In this tab additional information for emissions calculations can be added and all supporting documents. Multiple additional information & supporting documents can be added by clicking the “Add new” button.

1. KR | GPK Korea Inc

Installations Emissions Parameters Carbon price due **Supplementary**

Emission's additional information

Add new

1. Delete ^

Additional information 512

Supporting documents

Add new

Figure 91: Supplementary tab

For each emissions supporting document, the type and Reference number are mandatory to be filled in. A document can be added either by using the “Choose File” or by dragging and dropping. In order to delete an uploaded file, the “Delete” button needs to be clicked. Please note that the element “URI” is no longer available for reporting periods Q3-2024, Q4-2024, Q1-2025, Q2-2025, Q3-2025, Q4-2025.

Supporting documents

Add new

1. Delete ^

Type * Country of document issuance Reference number * Document line item number

TED01 - Annual installation report
TED02 - Annual installation emissions report
TED03 - Calculated emissions for the reported goods
TED04 - Legal reference to NA emissions framework
TED05 - Other

Validity start date Validity end date

dd/mm/yyyy dd/mm/yyyy

File

The allowed file types for upload are: PDF, DOC, DOCX, XLS, XLSX, JPEG, XML The maximum allowed file size is 20 MB

Choose file Drag and drop file here

URI

Figure 92: Emissions - Supplementary - Supporting Documents

4.4.3.5 Process – CBAM Transitional Integration with “Operator of Third Country Installation Registry” (O3CI).

To use the O3CI emissions data, both the Operator and the respective installation must be registered in O3CI. Follow these steps to incorporate emissions data into your reporting:

1. **Contact the Operator/Installation:** Reach out to the Operator or Installation where the specific good was produced.
2. **Verify Registration:** Ensure the Operator has registered the installation that is producing the good in O3CI and disclosed the emissions data linked to the Declarant’s EORI.

3. **Add the Good:** Include the good in your quarterly report (see Section 4.4.2.1 Addition of CBAM goods) and provide all required details.
4. **Add the Emissions:** Enter the emission data in your quarterly report (see Section 4.4.3.1 Addition of Emissions).
5. **Specify Country of Production:** Select the country where the good was produced.
6. **Select the Operator:** Choose the Operator from the “Operator of Third Country Installation Registry” (see Section 4.4.3.4.1 Installations).
7. **Select the Installation:** Pick the relevant installation from the same registry (Section 4.4.3.4.1 Installations).
8. **Choose the Production Method:** Indicate the production method used (see Section 4.4.3.4.2 Parameters).
9. **Enter Goods Measure:** Provide the net mass or supplementary units of the produced goods.

Once these steps are completed, the emissions data will automatically populate in the emissions tab and be marked as read-only. The Declarant remains responsible for the accuracy of these values.

If you disagree with the provided emissions data, click the “Edit Third-Country Operators Emissions Data” button at the top of the Emissions tab. This will clear the emissions data while retaining the Operator and Installation information.

1. CN - China | InstallationName20

Installations Parameters **Emissions** Carbon price due Supplementary

Third-country operator's emissions data have been selected. The declarant remains liable for these values. If you disagree with the provided emissions data, click the 'Edit Third-Country Operators Emissions data'.

[Edit Third-Country Operators Emissions data](#)

Please, only use a dot (.) to separate decimals.

Amounts must be reported in tonnes. Please, make sure that the amounts reported have been correctly converted into tonnes.

Goods measure (produced)

Net mass * Type of measurement unit *

Direct embedded emissions

Type of determination ☐ ☒ ☐

Actual data t CO2/unit

Indirect embedded emissions

Type of determination * Specific indirect embedded emissions t CO2/unit Type of measurement unit *

Absolute emissions for the imported goods

Total absolute emissions for the imported goods t CO2 Absolute direct emissions for the imported goods t CO2 Absolute indirect emissions for the imported goods t CO2 Type of measurement unit for emissions *

Figure 93: Emission tab filled in with O3CI emissions information

4.5 QUARTERLY REPORT ACTIONS

In this section all the processes related with the report management that a CBAM Reporting Declarant can perform will be listed in detail.

4.5.1 Creation of a report

In Home Page, click “My quarterly reports” and then click the “Create” button for the reporting period where a report needs to be created.

The “Create” button is visible only during the allowable reporting deadline. In the case a report needs to be created after the deadline expiration, please follow the process 4.5.11 Request to submit a report with a delay.

| Quarter | Year | Last edited | State | Report | Invalidated Reports | Actions |
|---------|------|-------------|-------|---------------|---------------------|---|
| | | | | | | |
| Q3 | 2023 | | | Not Added yet | | |
| Q2 | 2023 | | | Not Added yet | | Create Upload |

Figure 94: My Quarterly Reports - Create Report

4.5.2 Uploading of a report

Instead of using the user interface to fill in the report fields, an XML can be uploaded (in ZIP format containing all relevant attachments). The XML should be structured according to the XSD format listed in Annex 5.1 CBAM Report (XSD). Sample ZIP files are also included in 5.2 Sample ZIP file. The report structure is also provided in excel format along with the code lists in 5.3 Report structure .

Click the “Upload” button of the report that needs to be filled in “My Quarterly Reports”.

| Quarter | Year | Last edited | State | Report | Invalidated Reports | Actions |
|---------|------|-------------|-------|---------------|---------------------|---|
| | | | | | | |
| Q3 | 2023 | | | Not Added yet | | |
| Q2 | 2023 | | | Not Added yet | | Create Upload |

Figure 95: My Quarterly Reports - Upload a report

In the upload ZIP dialog, you can choose the file to be uploaded or you can drag & drop the file.




Figure 96: Upload ZIP

The “Upload” button is visible only for quarterly reports that their associated reporting period deadline has not expired. In case a report needs to be created after the deadline expiration, please follow the process 4.5.11 Request to submit a report with a delay.

Please note that once a report is uploaded it is not considered submitted. Please ensure to address any validation errors first.

When an XML is uploaded it is validated as follows:

- a) Codes used should be valid according to the published code list (see 5.3 Report structure) where applicable.
- b) Fields that are mandatory need to be filled in.
- c) In addition, in the following business cases:
 - ✓ Selected good is any good except electricity & Indirect Emissions->Type of Determination =”Actual” & Indirect Emissions-> Source of emission factor=”Commission based on IEA”
 - ✓ Selected good is electricity & Direct Emissions->Type of Determination = “Default” & Direct Emissions-> Source of emission factor=”Commission based on IEA”

The declarant is informed on the correct emission factor that should be used since the emission factors based on IEA are not publicly available.

Please note the “Upload” button is also available in reports in “Under Amendment” state. The existing report data will be deleted and replaced with the new data from XML if the XML to be uploaded is successfully validated.

4.5.3 Saving a draft report

Once a report has been created, the “Save as draft” button needs to be clicked in order to save a draft Report.

Additional validation rules may be generated during this process; however, these can be addressed at a later stage and before report submission.

Save as draft can be used as often as needed to save the contents of the report under preparation.

Figure 97: Save a draft report

4.5.4 Deletion of a draft report

A draft report can be deleted. The “Delete” button is available when the saved report is opened in view mode.

Figure 98: Delete a draft report

A confirmation dialog will appear when the “Delete” button is clicked. The report will be deleted when the “OK” button is clicked.




Figure 99: Delete draft report - Confirmation message

4.5.5 Editing of a report

Editing of a report is permitted when the report is in one of the following states.

- Draft
- Under Amendment
- Under Correction




Figure 100: Edit a report

In my quarterly reports page, click on the hyperlink in Report Column to open the report and then click the “Edit” button.




Figure 101: Edit a report

4.5.6 Validation of a report

The report can be validated by clicking the “Validate” button located in the Actions Menu.

This screenshot shows the 'Validate report' interface for a draft report titled 'Draft-2024-Q1'. At the top, there is a header bar with the draft report ID, submission due date (11/10/2024), and action buttons: Cancel, Preview, Validate, Save as draft, and Submit. Below this is a table with report details: Reporting declarant (User016 Test), NCA (BE000017), Reporting Period (2024 - Q1), Report ID, Issue date, State, Goods imported (0), Total emissions (0 t CO2), Total quantity (0 Tonnes), and Total quantity (Electricity) (0 MWh). On the left, a navigation tree shows 'Header info' and 'Goods imported'. The main content area is titled 'Header info' and contains tabs for 'Reporting declarant', 'Importer', 'Indirect Customs Representative', 'Competent authority', and 'Signatures'. The 'Reporting declarant' tab is active, showing 'Declarant details'.

Figure 102: Validate report

In case validation errors exist that are related with the header, (see Figure 103: Validate Report – Errors display), they will appear in the related tab. In addition, the total number of errors that need to be addressed are shown on the left report navigation tree. Goods’ level errors will need to be addressed at each individual good. Please follow the process 4.4.2.5 Validating of CBAM goods.

This screenshot shows the 'Validate Report – Errors display' interface for a draft report titled 'Draft-2023-Q2'. The header bar includes the draft report ID, submission due date, and action buttons: Cancel, Preview, Validate, Save as draft, and Submit. The table below shows report details: Reporting declarant (cbamdeclarant1_firstname cbamdeclarant1_lastname), NCA (BE000017), Reporting Period (2023 - Q2), Report ID, Issue date, State, Goods imported (0), and Total emissions (0 t CO2). The left navigation tree shows 'Header info' with a red circle indicating 1 error and 'Goods imported'. The main content area is titled 'Header info' and contains tabs for 'Reporting declarant', 'Importer', 'Representative', 'Competent authority', and 'Signatures'. The 'Reporting declarant' tab is active, showing 'Declarant details'. A red error message box states: 'Please correct the following: Rule: Declarant details. This field is required. City: This field is required.' Below this, the 'Declarant details' form includes fields for Name, Identification number (EORI_TEST_1), Role, Address (Member State of establishment: BE - Belgium, Sub-division, City, Street, Street additional line, Number, Postcode, P.O. Box).

Figure 103: Validate Report – Errors display

Once the mandatory fields are filled in, the process will continue with business rules validation.

Validations and warnings are displayed in the **Validation Results** dialog (see Figure 104: Validations Results Dialog). All messages categorized under "**Error Type**" as "**Errors**" must be resolved before submitting the report. "**Warnings**" should be reviewed and addressed as needed.

Each validation and warning listed in the Validation Results dialog, provides guidance on resolving the issue:

- **Message:** Direction on how to resolve the issue. Using the action, you can view the full message on top of the dialog (see Figure 105: Validation Results - Action view).
- **Pointer:** Identifies the good and emission and field that triggered the error.
- **Code:** Refers to the Rule Code that generated the message, as defined in the published report structure (see 5.3 Report structure).



Figure 104: Validations Results Dialog



Figure 105: Validation Results - Action view

4.5.7 Submission of a report

Once the report is prepared, the CBAM Reporting Declarant needs to click the “Submit” button to officially submit the report to the CBAM Registry. CBAM System will run the validations and if no errors are found:

- The report state changes to SUBMITTED.
- The Report gets a Report ID assigned, which is the primary identified for the whole lifecycle of the report and will not be changed.

| Draft report ID | | Submission due date: | | | | | | | | Cancel | Preview | Validate | Save as draft | Submit |
|---------------------|----------|----------------------|-----------|------------|-------|----------------|-----------------|----------------|------------------------------|------------------------|---------|----------|---------------|--------|
| Draft-2024-Q1 | | 11/10/2024 | | | | | | | | | | | | |
| Reporting declarant | NCA | Reporting Period | Report ID | Issue date | State | Goods imported | Total emissions | Total quantity | Total quantity (Electricity) | Additional information | | | | |
| User018 Test | BE000017 | 2024 - Q1 | - | - | - | 0 | 0 t CO2 | 0 Tonnes | 0 MWh | Add remarks | | | | |

Header info

Reporting declarant

Importer

Indirect Customs Representative

Competent authority

Signatures

Declarant details

Figure 106: Submit report

In case of validation errors, the CBAM Reporting Declarant will need to edit the draft report and perform corrections as needed to clear the validations error messages and click the “Submit” button again.

Prior to submission completion, the dialog shown in Figure 107: Modifications confirmation will be displayed. In case you are not planning to make modifications after the report submission, select the “No” choice. In any case, modifications are allowed in all cases if they will be performed within the allowable modification period.

Submit report

Do you expect to make modifications to the CBAM report? *

☐ Yes, I expect to make changes in the submitted CBAM report before the end of the modification period.
 ☐ No, I do not expect to make any changes in the submitted CBAM report before the end of the modification period.

Disclaimer

While the indication constitute the will of intent, and will be used to support the activities of the Commission in the transitional period the indication does not waive the right of the declarants to modify the reports before the end of the modification deadline as set in Article 9 of Commission implementing regulation (EU) 2023/1773 of 17 August 2023 laying down the rules for the application of Regulation (EU) 2023/956 of the European Parliament and of the Council as regards reporting obligations for the purposes of the carbon border adjustment mechanism during the transitional period

OK

Figure 107: Modifications confirmation

Please note that a report needs to be submitted within the submission due date. In case the submission period closes and the CBAM Reporting Declarant did not submit the report, a request for delayed report submission needs to be issued. See the 4.5.11 Request to submit a report with a delay process.

4.5.8 Viewing of a report

A report can be viewed by clicking on the “Preview” button on the Actions Menu.

| Draft report ID | | Submission due date: | | | | | | | | Cancel | Preview | Validate | Save as draft | Submit |
|---------------------|----------|----------------------|-----------|------------|-------|----------------|-----------------|----------------|------------------------------|------------------------|---------|----------|---------------|--------|
| Draft-2024-Q1 | | 11/10/2024 | | | | | | | | | | | | |
| Reporting declarant | NCA | Reporting Period | Report ID | Issue date | State | Goods imported | Total emissions | Total quantity | Total quantity (Electricity) | Additional information | | | | |
| User018 Test | BE000017 | 2024 - Q1 | - | - | - | 0 | 0 t CO2 | 0 Tonnes | 0 MWh | Add remarks | | | | |

Header info

Reporting declarant

Importer

Indirect Customs Representative

Competent authority

Signatures

Declarant details

Figure 108: View report

4.5.9 Amendment of a report

When a report is in SUBMITTED state and provided the associated quarterly report modification deadline has not expired, a CBAM Reporting Declarant can perform changes to a report and resubmit it, once the validation process completes successfully.

To amend a report, locate the report with the status SUBMITTED and click the “Amend” button.

The screenshot displays the CBAM Reporting Declarant Portal interface. At the top, the European Commission logo and 'CBAM Carbon Border Adjustment Mechanism' are visible. The user is logged in as 'DEMO User' with a profile icon and a language selector set to 'EN'. The main content area shows a report with ID '233GR29384758493029501' in a 'Submitted' state. A table lists report details: Reporting declarant (Demo CBAM), Importer (Importer Name), Representative (NCA), NCA (NCA12345), Reporting Period (2023-Q3), Issue date (02/08/2023 11:51:58), and State (Submitted). An 'Amend' button is highlighted. Below the table, the 'Header info' section is expanded, showing 'Goods imported' (1. 27160000 | CN, 50 MWH | 3000 Tonnes, 1 emissions) and 'Declarant details' (Name: Demo CBAM, Identification number: GR293847584930295, Role: 03, Address: BE, BE Subdivision, Brussels, Brussels street, Brussels street additional line, 2, 5555, PO 5555).

Figure 109: Amend a report

The Report state will change to UNDER AMENDMENT. Changes in the report can be saved using the “Save as Draft” button. The “Upload” button is also available in “My quarterly reports” view in case the report needs to be modified using the XML Upload (see 4.5.2 Uploading of a report).

Once the changes are completed, the “Submit” button will need to be clicked.

In case of validation errors, the CBAM Reporting Declarant will need to edit the report and perform corrections as needed to clear the validations error messages and click the “Submit” button again.

The status will change to SUBMITTED again until the report state changes to REGISTERED once the associated modification period deadline expires. Once a report is in REGISTERED state, corrections are allowed upon NCA's approval. Once NCA approves the request, the report state will change to "Under Correction" and the report corrections can be performed within 30days.

Please keep in mind that the amended report can only be submitted within the official deadline for report modification. In case the modification period closes and the CBAM Reporting Declarant did not submit the amended report, a request for delayed report submission needs to be issued. See the 4.5.11 Request to submit a report with a delay process.

4.5.10 Invalidation of a report

When a report is in SUBMITTED state, the report can be invalidated to allow a new report for the same reporting period to be created.

The screenshot shows the CBAM Declarant Portal interface. At the top, there is a header with the European Commission logo, the text 'CBAM Carbon Border Adjustment Mechanism', and a user profile 'DEMO User CbamMonitor' with a language selector 'EN'. Below the header, a sidebar on the left contains navigation icons. The main content area displays a report summary for Report ID '233GR29384758493029501'. The report is in the 'Submitted' state. A table below the summary shows 'Goods imported' with details: 1. 27160000 | CN, 50 MWH | 3000 Tonnes, 1 emissions. To the right of the summary, there is a 'Header info' section with declarant details: Name 'Demo CBAM', Identification number 'GR293847584930295', Role '03', and address information. At the top right of the report summary, there are buttons: 'Amend', 'Invalidate', 'History', and 'Download PDF'. The 'Invalidate' button is highlighted.

Figure 110: Invalidate a report

The button “Invalidate” needs to be clicked. Upon confirming the action by clicking the “OK” button, the report state will change to INVALIDATED.

The screenshot shows a confirmation dialog titled 'Invalidate report'. It contains a question mark icon and the text: 'Are you sure you want to invalidate this report? Once invalidated, the report can't be used.' At the bottom right, there are two buttons: 'Cancel' and 'OK'.

Figure 111: Invalidate report confirmation message

4.5.11 Request to submit a report with a delay

The user can request to submit a report with a delay by clicking on the “Request delayed submission” button. Please note once clicked, the button will not be available during the delayed submission period.

The screenshot shows a table titled 'My Quarterly Reports'. The table has columns: Quarter, Year, Last edited, State, Report, Invalidated Reports, and Actions. The data rows show reports for Q4 2023 and Q3 2023, both with the state 'Not Added yet'. In the 'Actions' column for Q3 2023, there is a button labeled 'Request delayed submission'.

Figure 112: Request delayed submission

In the dialog that will be shown in Figure 113: Request delayed submission dialog, the reason for the request of the delayed submission needs to be provided. In case NCA has approved /requested the

delayed submission, the NCA's reference number (e.g. email reference number or Request ID number) needs to be provided as well (see Figure 114). Please note that the request due to a technical error is no longer available. In case you experience a technical error, please contact your respective NCA.

Figure 113: Request delayed submission dialog

Figure 114: Request delayed submission -Requested by NCA

Submission and modification periods for delayed submissions varies based on Table 7: Delayed Submission - Deadlines.

| Requested by | Submission | Modification |
|--------------|------------|---|
| NCA | 30 days | 30 days or end of reporting period modification day whichever is greater. |

Table 7: Delayed Submission - Deadlines

4.5.12 Download PDF

The button “Download PDF” is available for all states. When the “Download PDF” button is clicked, a PDF version of the report is created asynchronously which is saved in your local disk drive when prepared.




Figure 115: Download PDF

When the “Download PDF” button is clicked, an information message appears. It is important not to close the browser tab during the PDF preparation process (see Figure 116 Download PDF Information message)




Figure 116: Download PDF Information message

When the PDF file is prepared the following message appears and the file can be located in the downloads folder.




Figure 117: Download PDF - File downloaded message

4.5.13 History

The “History” button allows the user to see the history of the report.




Figure 118: History

Once the history button is clicked, the history view will include the actions performed, the associated report state along with a timestamp on when the action was performed.




Figure 119: History Details

4.5.14 Duplicating a report

On the Home Page, click “My quarterly reports” and then click the “Create using Previous Report” button for the reporting period where a report needs to be created (see Figure 120: Create using Previous Report).

The “Create using Previous Report” button is visible only during the allowable reporting deadline. When a report needs to be created after the deadline expiration, please follow the process 4.5.11 Request to submit a report with a delay. In addition, a previous report needs to be available that can be utilized. Previous reports in “Draft” or “Invalidated” state cannot be duplicated.

My Quarterly Reports

| Quarter | Year | Last edited | State | Report | Invalidated Reports | Actions |
|----------------------|----------------------|----------------------|----------------------|-----------------------|---------------------|--|
| <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> | | |
| Q1 | 2024 | | | Not Added yet | | |
| Q4 | 2023 | | | Not Added yet | > | Create Upload Create using Previous Report |
| Q3 | 2023 | 21/03/2024 | Submitted | 23300000000BE11111101 | | |

Figure 120: Create using Previous Report

The “Duplicate Report from” dialog (see Figure 121: Duplicate report from), lists all previous quarters where a report was submitted. Previous reports in “Draft” or “Invalidated” state cannot be used for duplication.

Duplicate Report from:

Quarter *

Q3 - 2023 (Submitted)

Cancel

OK

Figure 121: Duplicate report from

Once the required reporting period is selected, the “OK” is enabled and available to be clicked. (see Figure 122: Duplicate Report Form Selected).

Duplicate Report from:

Quarter *

Q3 - 2023 (Submitted)

Cancel

OK

Figure 122: Duplicate Report Form Selected

A confirmation dialog box will appear (see Figure 123: Duplicate Report - Confirmation dialog), click “OK” to allow the creation of the report based on the previous report selected or click “Cancel” to stop the process.

Create using Previous Report





Figure 123: Duplicate Report - Confirmation dialog

When the duplicate report process is completed, a Draft report will be available in “My quarterly reports” for the specific quarter. The report can now be edited per 4.5.5 Editing of a report.

When a Declarant duplicates an earlier report from Q42023 or Q12024 and the net mass was reported in kgs, the net mass values should be corrected manually to tonnes since in Q22024 reporting period and forward, kgs are no longer available.



Please note that:

- a) Attachments in Goods or in Emissions are not duplicated.
- b) The Header->Signature tab needs to be filled in again.

4.6 MY IMPORTERS

In “My importers” menu, accessed from Home Page or through the Navigation Bar, submitted CBAM reports goods data can be compared with the corresponding goods data from the associated customs declaration.




Figure 124: My Importers - Starting point


Once the menu is selected, the list of importers included in Submitted and Registered reports (does not include draft reports) are listed.

My importers

| Identifier | Name | Actions |
|----------------------|----------------------|---------|
| <input type="text"/> | <input type="text"/> | |
| BE1457893 | Declarant CBAM | |
| IMPID89101 | Importer Name | |

Items per page 10
Showing 1–2 of 2

Figure 125: List of my importers

The list can be filtered either by the importer Identifier or the Importer Name. When the importer of interest is located, the “View Importer Profile” button  can be clicked to view the Importer’s profile along with the quantity comparison of goods declared in the CBAM report vs goods in the associated Customs declarations.

Importer profile is obtained from CRS.

Importer
Declarant CBAM

Profile

Goods Imported

Address

Country of establishment
BE

Sub-division
Declarant Sub-division

City
Declarant city

Street
Declarant Street


Street additional line
Declarant Street additional line

Number
100

Postcode
DCL-123

P.O. Box
PO DCL-123

Figure 126: Importer Profile

The list of goods imported per importer, provides the comparison of CBAM Declared quantity and Customs declared quantity. In case multiple procedures are associated to review the discrepancies per procedure, you can click on the  arrow to review the discrepancies per procedure.

Importer
Declarant Name

Profile

Goods Imported

| Reports | Report period | Representative ID | CN code | Country | State | CBAM Declared quantity | Customs reported quantity | Procedure |
|------------------------|---------------|--------------------|----------|------------------------|-----------|---------------------------|---------------------------|-----------|
| 242000000000BE11111101 | 2024 - Q2 | XZ123123123 | 27160000 | AZ | SUBMITTED | 5.000 MWH | 0.000 MWH | 1 |
| Requested procedure | | Previous procedure | | CBAM Declared quantity | | Customs reported quantity | | |
| 01 | | | | 5.000 MWH | | 0.000 MWH | | |
| 242000000000BE11111101 | 2024 - Q2 | XZ123123123 | 76090000 | BA | SUBMITTED | 1000.000 Tonnes | 0.000 Tonnes | 1 |

Items per page 10
Showing 1–2 of 2

Figure 127: Importer - Goods Imported

4.7 MY PROFILE INFORMATION

Information shown in “My profile information” is obtained from UUM&DS & CRS and are displayed as read only fields. In case the information is not accurate and needs to be corrected, please contact your NCA Authority.

European Commission | CBAM Carbon Border Adjustment Mechanism

DEMO User | CBAMMonitor | EN

My profile information

| Logged-In User Information | |
|----------------------------|---------------------|
| Full Name | Demo CBAM |
| Country | EC |
| E-mail Address | demouser@domain.com |

| Declarant Information | |
|-----------------------|-------------------|
| Type of Person | |
| Identification Type | EORI |
| Identification Number | GR293847584930295 |
| Full Name | |
| Legal Name | |
| Street and Number | HOME |
| Post Code | 10 |
| City | Eurocity12 |
| Country | IT |
| E-mail Address | test@test.be |

Figure 128: My profile information

Contact details can be added by editing the following section in “My profile information”. Once all three fields (Contact person full name, phone, email address) have been populated, click on the “Save” button. Details will be prefilled with CRS data (when available), however please ensure to update them with the latest contact information.

Contact details

Edit

Contact Person Full Name *

Phone *

E-mail Address *

Figure 129: My Profile - Contact Details

4.8 PREFERENCES

The "Preferences" menu is positioned in the upper right corner. Currently, in the preferences section, the following options are available:

- Define your preferred language;
- Set the default email for communication;

- c) Enable/disable the transmission of CBAM Registry notifications to the email set as default for communications.

In future releases, the "Preferences" screen will undergo further enhancements, incorporating additional attributes related to user preferences.




Figure 130: Preferences menu

Click the “Edit” button to fill in the required information.




Figure 131: Preferences

The email field can be populated using either the CRS email (if available), My Profile email (if defined), UUM&DS email, or a user-defined email. If an email isn't associated with a particular option, that option will be greyed out. The email field becomes editable when the 'User Defined' option is selected. Please note, an email address is mandatory in all cases. Saving of preferences is not permitted without entering a valid email address.




Figure 132: Edit Preferences

To save the updated information, click the “OK” button. When the “Cancel” button is clicked, no changes will be saved.

4.9 INFORMATION

Clicking on "Information" allows the Reporting Declarant access to several resources. These include the NCA's contact information, a list of CBAM goods, and CBAM legislation.




Figure 133: Information


4.9.1 NCA

In "NCA" page, the user can see a list of all National Competent Authorities offices pre-sorted by “Office Reference Number”. The user can also sort the list by “Country” or “Created”.

NCA Management

| NCA Authorities | | | |
|-------------------------|----------------------|-------------------|---------|
| Office Reference Number | Country | Created | Actions |
| <input type="text"/> | <input type="text"/> | | |
| AT000038 | AT | 9/27/23, 11:54 AM | |
| BE000017 | BE | 9/27/23, 11:54 AM | |
| BG000068 | BG | 9/27/23, 11:54 AM | |
| CY000600 | CY | 9/27/23, 11:54 AM | |
| CZ000061 | CZ | 9/27/23, 11:54 AM | |
| DE000004 | DE | 9/27/23, 11:54 AM | |
| DK000008 | DK | 9/27/23, 11:54 AM | |
| EE000053 | EE | 9/27/23, 11:54 AM | |
| ES000011 | ES | 9/27/23, 11:54 AM | |

Figure 134: Information-NCA

By clicking on the View icon  in “Actions” column, the user can see information about each NCA office organised in different tabs as shown in Figure 135. On the upper right corner of the shown menu,

the user can click on the Expand all [Expand all](#) icon to expand all tabs or the Collapse all [Collapse all](#) icon to collapse all tabs at once.

NCA Management

Expand all Collapse all

Office: AT000038

| | | | |
|--|--------------------------------|--|--|
| State valid | Active From 22-01-21 | Reference Number AT000038 | Country Code AT |
| Postal Code 8010 | Phone number +43 50 233 561 | Email address Post.za-bbw@bmf.gv.at | Web Page www.cbam-at.com |
| General Functional Mailbox generalFunctionalMailbox | | | |

Office Details

Local Point Of Contact

IT Point of Contact

Office Role Competence

Supervising Body

Associated Office

Figure 135: Information - NCA Details


4.9.2 CBAM Goods

Upon clicking the "CBAM Goods" page, you'll see a list of goods sectors per Figure 136.

Goods

- + Aluminium
- + Fertilizers
- + Cement
- + Electricity
- + Iron and Steel
- + Chemicals

Figure 136: Goods Sector Level

To expand a sector and view its associated aggregated goods categories, click on the plus icon  next to it.




Figure 137: Aggregated goods category Level

When you select a specific aggregated goods category, a list of goods belonging to that category will appear on the right side of the screen per Figure 138.




Figure 138: Goods code level

When the list of goods is displayed, you have the option to sort it by “CN Code”, “HS Description”, or “CN Code Description”. Additionally, you can filter the list using the “CN Code” field. The list will start filtering as soon as you begin typing.




Figure 139: Filtered CBAM Goods on CN Code

4.9.3 Legislation

Clicking on "Legislation" redirects the user to the [CBAM Legislation webpage](#), where all relevant legislative documents can be viewed.

4.10 REQUESTS

The “Requests” home page section is divided into two distinct lists.

- **Incoming Requests:** These are requests sent from the NCA to the Reporting Declarant. The Reporting Declarant can employ the filter options to review outstanding requests for which no response has been sent by the Declarant. When a new request is created from NCA, an email will be sent to the Declarant's email address, as specified in Preferences.
- **Outgoing Requests:** These are requests initiated by the Reporting Declarant and sent to the NCA. The Reporting Declarant can use the available filter options to track requests awaiting a response from the NCA.

In both lists, the status field receives one of the below values:

- Received: Initial status, when the request has been created;
- Answered: When a reply has been provided;
- Cancelled: Is set by the requestor when the request is cancelled;
- Rejected: Is set by the recipient of the request, when the request is declined.




Figure 140: Request

4.10.1 Viewing of incoming requests

You can sort and/or filter the list of incoming requests based on your preferences. To view requests that are waiting for your response, apply the Status filter and select the “Received” status




Figure 141: Incoming requests

4.10.2 Replying to an incoming request

First view the request by clicking on the "eye" icon and then click on “Reply” button.

Request ID: 1

Priority
Medium

Decline

Reply

Request title
XML information needed

Status
RECEIVED

Received
15/11/2023

Due date
28/11/2023

Originators name
DEMO User

Originators ID
BE1457893

Originators Organization
BE1457893

Created
15/11/2023

Type of request
Request for Assistance

Recipients Organization

Declarant EOR's

Additional Information

Request Message
Please indicate where I can find a sample XML or attach to the Response

Attachments

Figure 142: Reply to a Request

At a minimum, you must complete the “Response Title” and “Response Message” fields in order to enable the “Send” button. Due to limitation of length in the reply, please complement your response with an attachment.

Optionally, attachments can be included in the response. You can add files by either selecting them from your device or using the drag-and-drop feature.

Request ID: 6

Priority
High

Decline

Cancel

Send

Initial request (open to view details)

Response title *

Response Message *

References (optional)

Choose file Drag and drop file here

The allowed file types for upload are: PDF, DOC, DOCX, XLS, XLSX, JPEG, JPG. The maximum allowed file size is 20 MB

Figure 143: Reply to a request -Details

In the references (optional) section, document references can be added. Fill in the Document reference and the additional information and click the “Add” button.

References (optional)

Document reference

256

Additional information

256

+ Add

Figure 144: Notifications - References

After filling in the required fields, click the "Send" button to send the request to the NCA. The request will appear in the “Incoming Requests” list, where its status will be updated to “Answered”.

4.10.3 Decline an incoming request

To reject an incoming request, click the "Decline" button and provide an appropriate justification in the designated field. Once completed, the request's status will be updated to "Rejected".

Request ID: 6

Priority High

Decline

Reply

Request title

Missing goods

Status

RECEIVED

Received

26/11/2023

Due date

30/11/2023

Originators name

Originators ID

Originators Organization

Created

Type of request

nuser01

BE1457893

BE1457893

26/11/2023

Request for Information/Documents

Recipients Organization

BE1457893

Additional information

Request Message

Multiple goods are missing from the report

Attachments

Figure 145: Decline Request

4.10.4 Create a request

To create a request, simply click the “Create Request” button which is located on the upper right corner of both Incoming and Outgoing lists (see Figure 140).

Figure 146: Create Request

In the displayed dialog (See Figure 146), it is essential to complete all mandatory fields for the "Create Request" button to become active.

As a declarant, only the NCA type is available in the "To (Recipient) Organization" field. Once chosen, the member state of NCA will be filled in automatically.

In the "Title" field, provide a brief summary and select the "Type of request". In the "Your Message" field, provide a detailed description of the request.

After determining the priority of your message, input the expected response due date. This will help in organizing and addressing your request promptly.

On an optional basis, you can utilise the following fields:

- **CBAM Reports:** Here, you can input the report ID(s) you wish to reference in your NCA request. Upon entering the Report ID, the "Add" button will become active, allowing you to include the reference in your request.

Figure 147: CBAM Reports (Optional)

- **References:** You can add any relevant references. The "Add" button becomes enabled once both "Document Reference" and "Additional Information" fields are filled in.

References (optional)

Document reference 181

Additional information 237

<https://taxation-customs.ec.europa....>

Communication excel

+ Add

Figure 148: References

- **Attachments:** To attach a document to the request, you can either use the "Choose File" option or simply drag and drop the file if needed.

Choose file Drag and drop file here

The allowed file types for upload are: PDF, DOC, DOCX, XLS, XLSX, JPEG. The maximum allowed file size is 20 MB

Figure 149: Attachments

Once you have completed the form, you can click the "Create Request" button. The request will be visible in the "Outgoing list" with the status "Received".

For assistance with technical issues, please consult your respective NCA for guidance.

4.10.5 Cancel a request

If a mistake has been made or the request is no longer relevant, you can cancel a request as long as a response has not been provided. Simply access the request in question and click on the "Cancel" button.

European Commission | CBAM Carbon Border Adjustment Mechanism

nuser100 CBAM Declarant

Request ID: 1015 Priority High

Cancel

| Request title | Status | Received | Due date |
|-----------------|----------|------------|------------|
| Technical issue | RECEIVED | 26/11/2023 | 30/11/2023 |

| Originators name | Originators ID | Originators Organization | Created | Type of request |
|------------------|----------------|--------------------------|------------|-----------------------------------|
| nuser100 | BE1467893 | DECLARANT | 26/11/2023 | Request for Information/Documents |

| Recipients name | Recipients ID | Recipients Organization |
|-----------------|---------------|-------------------------|
| - | - | NCA |

Additional Information

Request Message


Support is required relative to installation information

Attachments

Figure 150: Cancel a request

4.10.6 View outgoing requests


The list of outgoing requests can be sorted and/or filtered according to your needs. To view requests that are awaiting NCA's response, use the "Status" filter and select the "Received" status.



| ID | Title | Priority | Recipient Organization | Date issued | Date due | Status | Actions |
|----|--------------------------------|----------|------------------------|-------------|------------|----------|---------|
| 1 | XML information needed | Medium | BE - NCA | 15/11/2023 | 15/11/2023 | Received | |
| 3 | Request for Delayed Submission | Low | BE - NCA | 15/11/2023 | 15/11/2023 | Received | |
| 2 | Access Request | Medium | BE - NCA | 15/11/2023 | 15/11/2023 | Received | |

Figure 151: Outgoing requests

4.11 NOTIFICATIONS

On the upper right corner of the home page, the icon  indicates the number of unread notifications. When the unread notifications exceed 10, the exact number is not displayed.





Figure 152: Home Page-Notifications icon

Clicking the icon  reveals a list of the latest unread notifications, as shown below in Figure 153.




Figure 153: List of latest unread notifications

From this view you can:

- Select to view one notification.** Clicking on a notification marks it as read and displayed the notifications' details.




Figure 154: View notification

- View the full notifications' list .** Click the button “View all” on the upper right side to access all notifications.

The notifications list (see Figure 157), provides sorting and filtering options for Notification Type and Status. Advanced filtering is available on the upper right side of the notification table that allows for the following filtering criteria:

- Filter by Report ID**
- Filter for a range of dates in Date Received.** The default date range is set to one month.

Reception date from

07/07/2024
×

Figure 155: Notification - Reception date from filter

Reception date to

07/08/2024
×

Figure 156: Notification - Reception date to filter

Please note: When applying criteria, either specify a Report ID or set the Date Received range to a maximum of one month.

European Commission

CBAM

Carbon Border Adjustment Mechanism

DEMO User

ClaimDeclarant

EN

Notifications

Notifications

Filter by:

Report ID

 or

24/10/2023

24/11/2023

| Title | Notification type | NCA Member State | Date Received | Date Read | Status | Actions |
|---------------------------------|-------------------|------------------|---------------|------------|--------|---------|
| | | | | | | |
| Closing of the Reporting Period | REPORT REGISTERED | BE | 24/11/2023 | | Unread | |
| Closing of the Reporting Period | REPORT REGISTERED | BE | 24/11/2023 | 24/11/2023 | Read | |
| Closing of the Reporting Period | REPORT REGISTERED | BE | 24/11/2023 | 24/11/2023 | Read | |
| Closing of the Reporting Period | REPORT REGISTERED | BE | 24/11/2023 | | Unread | |
| Closing of the Reporting Period | REPORT REGISTERED | BE | 24/11/2023 | | Unread | |
| Closing of the Reporting Period | REPORT REGISTERED | BE | 24/11/2023 | | Unread | |
| Closing of the Reporting Period | REPORT REGISTERED | BE | 23/11/2023 | 23/11/2023 | Read | |
| Closing of the Reporting Period | REPORT REGISTERED | BE | 23/11/2023 | 23/11/2023 | Read | |
| Closing of the Reporting Period | REPORT REGISTERED | BE | 22/11/2023 | 23/11/2023 | Read | |

Items per page

10

Showing 1–10 of 47

Figure 157: Notification List

Clicking the view icon in actions column, lets you view the notification (see Figure 154) and marks it as read. Use the “Back” button to return to the list of notifications.

5 ANNEX

5.1 CBAM REPORT (XSD)

The following zip file contains:

- a) QReport_ver23.00.xsd which describes the full structure of the CBAM quarterly report in an XSD file format.
- b) Stypes_ver23.00.xsd which describes the data types used.
- c) XML Guidance document.

[CBAM Quarterly Report structure XSD and “stypes.xsd” \(ZIP format\)](#)

5.2 SAMPLE ZIP FILES

The ZIP file must consist of:

- The quarterly report XML file created which must be based on the CBAM report XSD as provided in section:5.1 CBAM Report (XSD).
- The set of documents to be provided as binary attachments (acceptable file formats are only DOC, DOCX, XLS, XLSX, PDF, JPEG).

The final constructed file must be uploaded to the CBAM Declarant portal by using the “Upload” button as described in 4.5.2 Uploading of a report. Once the Declarant selects to create a quarterly report by uploading a file, the system fills the quarterly report’s data according to the data and binary attachments retrieved from the particular ZIP file.

The CBAM declarant can crosscheck and confirm the correct report filling to the Declarant portal UI according to the data uploaded. Potential errors are presented by the system and the CBAM declarant has to correct them in order the report to be successfully validated and submitted to the system.

Here are some sample files:

[CBAM Quarterly Report sample file for representatives](#)

[CBAM Quarterly Report sample file for importers](#)

5.3 REPORT STRUCTURE

The following file describes in detail the report structure. In addition, it contains the code lists utilized and the XML elements that correspond for each field.

[CBAM Quarterly Report structure \(XLS format\)](#)